



with people and nature

GARDENING EQUIPMENT 2023



WWW.RURIS.RO

EMPOWERMENT OF PEOPLE

The reason why RURIS exists is the empowerment of people. The business we founded 30 years ago grew sustainably with and because of this amazing team of colleagues and partners, all sharing RURIS vision.

Now, more than ever, in Romania and in many other countries, gardening and agriculture were never easier for households and small farms. We believe in the accessible and useful technology, therefore our products are designed and intended to improve the life quality of all these people.

Loyal to our credo, "*Power for nature*", we innovate continuously for more power, robustness and ease of use, with care and respect for nature and the environment ■



Cătălin Stroe

Founder and General Manager






CONTENTS

02



FOREWORD

05



OUR COMPANY

14



TILLERS

30



**BRUSHCUTTERS
MOTORMOWERS**

39



**MIST DUSTERS
SPRAYERS**

41



WATER PUMPS

44



**CHAINSAWS
SHREDDERS
WOOD SPLITTERS**

54



WELDING MACHINES

58




LAWN MAINTENANCE

66




PRESSURE WASHERS

68



SNOW BLOWERS

70




GENERATORS

72



AIR COMPRESSORS

73



HEATERS

75



**FEED PROCESSING
MACHINERY**

76



HYDROPHORES

78



DEEP WELL PUMPS

82



MILKING EQUIPMENT

85



EARTH AUGERS



OUR VISION WORKING BETTER FOR A BETTER LIFE

RURIS IMPEX S.R.L. started as a small enterprise 30 years ago, an initiative of a young engineer to enlarge the range of gardening and agricultural equipment addressed to individual small farms and families working in rural areas. The perseverance of the founder team and the generosity of the concept brought many colleagues and partners on the way, who contributed work and ideas. We are now proud to reach to a 40+ million Euro turnover company and a team of 180 members.

During the years, RURIS has been bringing choice and efficiency to more than one million people within rural and urban areas in Romania. People living in city houses also started to work easier and to pursue their passion for gardening with the help of our products.

Our mission is to help all people, rural and urban, work more efficiently for a better life.

This aim is at our heart permanently, it guides us every day, it is what matters the most for us and what we know best how to do.

Our strategy is simple and comes naturally from the principle, our values are embedded in the way we act and the objectives we pursue.

We're always innovating new products based on updated technologies and deliver at the best price/quality ratio in the market. We are always committed to our partners and to the environment, our promise is to continually develop a sustainable business ■

NAMES MEANING AND A GLANCE AT ROMANIAN HISTORY


The name of the company comes from the word “**ruris**” in Latin language, meaning “*belonging to the field*” – a Genitive form of the Latin word for field, land.

Proudly Romanian, we honor our Latin and Dacian roots through the brand names we chose. While RURIS is of Latin origin, one of our main brands, **DAC**, means “Dacian”, the name of the population that had inhabited the land before the Roman Empire conquest, in the 2nd century a.C. ■



RURIS® = (lat.) *belonging to the field*

GROWTH IS NATURAL



The business results were promising from the very beginning, and the company turnover leaped over the latest years. Unique in this continuous growth, RURIS took the leadership in Romania and established partnerships in the Republic of Moldavia, Bulgaria, Hungary, Serbia, Bosnia, Greece and France.

With an amazing 26% compounded annual growth rate (CAGR) over the latest 5 years, RURIS is now a leading company shaping the industry future development ■

CONTINUOUS INVESTMENT

Craiova, Dolj county, the home city of the business, has a long tradition of industry. It began with a workshop of agricultural machines established in 1878 by a subsidiary of the British company Clayton-Shusliworth. The years after brought a lot of change, the World Wars and the whole society and political regime

changed. The plant became, during the communist times, the leading tractor and agricultural machines producer in Romania.

RURIS invested continuously over the years in warehousing and production space in the

former MAT Craiova area, revitalizing and refurbishing it to nowadays standards of design, efficiency and safety.

The main logistic center consists now of over 40.000 sqm, fully equipped for a full-year intense activity of warehousing, picking and delivery ■

MAIN LOGISTIC CENTER
over 40.000 sqm



PARTNERSHIP BEYOND BUSINESS



RURIS concept and RURIS business stand on the full partnership with more than 500 partners all over Romania and in the focus countries – Republic of Moldova, Bulgaria, Hungary, Serbia, Bosnia, Greece, Croatia, France, Latvia, Lithuania and Slovakia. Our partners share the same vision and work tirelessly to achieve their goals. ■



“Valplast has been importing RURIS products for 3 years, and in these 3 years we are very satisfied with sales, service and RURIS support. Sales have grown much more than we expected. RURIS products have quality, design and good use of it. And the main thing is that cooperation with RURIS staff is very good and professional. Also when you buy RURIS products you are not just buying machines, you get the whole brand, from marketing, shelves, banners, to the machines, which makes it interesting to wholesale buyers.

Amir Morankić, Commercial Director Valplast D.O.O

RURIS reaches the customers at national level through this extensive network of partner stores, where people can find our products and benefit from specialized counselling.

Customers all over Romania can buy equipment of RURIS guaranteed quality from


the networks of Do-It-Yourself hypermarkets, like Dedeman, Leroy Merlin, Hornbach or Brico Store.

The specialized sales assistants, permanently trained, always provide the best advice in the benefit of the customer ■

FRANCHISE NETWORK

The highest rank in the RURIS partnership is represented by the franchise stores, dedicated brand showrooms that spread all over Romania in the latest years, now reaching a total network of 22. ■

NATIONAL FRANCHISE
22 stores



Our franchise partners build the RURIS vision step by step, investing business resources in close partnership with us for a flawless choice, buying and after sales experience for the customers ■



AFTER SALES SERVICES



The reliability of the business and the brands depends of the promises we keep. We are near the customers after the sale, supporting them for the commissioning, maintenance or reparations that may be necessary.

RURIS has now a network of over 200 partner

service points, reaching many distant areas for the best distribution to the market.

The service stations are ready to respond to requests at any time. Our service partners have the necessary technical knowledge and experience to effectively solve the reported problems.

We supply our customers with original spare parts that have been created with the products in our portfolio, that fit perfectly to RURIS machines. They meet the same quality requirements and stand as a guarantee that all our customers can enjoy the product they have bought for a long time ■

RESPONSIBILITY TO PEOPLE AND NATURE

After the year 2020, the world is different, and we have to acknowledge the change. This is a turning point in history – not just because of the COVID-19 pandemic that has disrupted all of our lives, but because it has focused further attention on issues that the whole world must address. These changes have influenced people's attitudes toward many of the most important aspects of sustainability. This came natural during a time when

each of us was compelled to re-examine basic questions as how we earn a living, how we rely on each other and our environment, and how companies, government and society should work together for the greater benefit of present and future generations.

But the COVID-19 pandemic also brought out the best in us. Our people came together to take care of each other, while continuing to support our customers and to help in

their communities. Our first priority, as always, was health and safety – we took every precaution to safeguard our people, ensuring that we were fully aligned with local government and World Health Organization guidelines while continuing to work every day.

Our donations went to local authorities and other institutions to support the fast cleaning and disinfection of the public buildings and areas ■



RESPONSIBILITY TO PEOPLE AND NATURE

At RURIS, we intensified our CSR (Corporate Social Responsibility) programs addressed to hospitals, schools and emergency situations.

One of our CSR projects include donations to many hospital sections in need of modern technology equipment ■



Maybe the amplest CSR project managed by RURIS together with Romanian business partners and with Mereu Aproape Foundation is RURIS SUSTINE EDUCAȚIA (RURIS SUPPORTS EDUCATION). All over Romania, in small and distant villages, where school dropout is becoming an increasingly cruel reality, thousands of pupils receive quality school backpacks fully equipped. Increasing the number of children year after year, this project had reached so far to more than 20.000 families ■

Hard times come when least expected, but at RURIS we are always ready to help in due time and emergency situations. One example were the floods in the central area of Romania in July 2021, where local families received motor pumps and chain saws to recover their homes after the natural disaster ■



QUALITY IS ALWAYS A MUST

RURIS has been on the market since 1993 and during this time it has become a strong brand, that has built its reputation keeping its promises and also continuing investments meant to help customers with reliable, efficient and quality solutions.

Our products are made of the best materials, combining modern design with state-of-the-art technology ■



RURIS offers its customers reliable and quality products, our goal being to create high-performance machines that the user can enjoy for a long time. Research and design play an important role in the development of the product portfolio because we want to come up with solutions as efficient as possible for our customers. We place great emphasis on the development of new products that best suit their needs ■



Our team of engineers is constantly working for the development of the portfolio, and the stake is to bring to market products that involve a low effort and as much yield as possible.

RURIS portfolio of products currently consists of more than 300 types of gardening, agricultural tools and equipment ■



HOBBY TILLERS

RURIS hobby tillers are suitable for light soils, specific to household gardens, but also for tough, sandy soils.



RURIS 5500RS

Engine	General Engine
Engine type	4 stroke
Engine power	4 HP
Engine displacement	161 cc
Ignition system	Electronic
Start-up	Manual
Clutch style	Transmission belt
Transmission type	Belt
Gear shifting	1 forward
Tilling width	360 mm
Tilling depth	100 - 260 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.3l
Average fuel consumption	≤420g/kW/h
Engine oil capacity	1.3l
Transmission oil capacity	0.4l
Weight	27.5 kg
Average worked area	400 sqm/h
Product warranty	24 months
Product code	55002017



RURIS 5600R

Engine	General Engine
Engine type	4 stroke
Engine power	4 HP
Engine displacement	174 cc
Ignition system	Electronic
Start-up	Manual
Clutch style	Transmission belt
Transmission type	Sprockets
Gear shifting	1 forward
Tilling width	550 mm
Tilling depth	≥100 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Average fuel consumption	≤374g/kW/h
Engine oil capacity	0.5l
Transmission oil capacity	0.8l
Weight	35 kg
Average worked area	400 sqm/h
Product warranty	24 months
Product code	5600r2021



RURIS 5800R

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Ignition system	Electronic
Start-up	Manual
Clutch style	Worm gear
Transmission type	Wheel in oil bath
Gear shifting	1 forward + 1 reverse
Tilling width	Max. 480 mm
Tilling depth	Max. 150 mm
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Average fuel consumption	395ml/kW/h
Engine oil capacity	0.6l
Transmission oil capacity	1l
Weight	70 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	5800fr2019



Scan the QR code
to find out more about
RURIS hobby tillers.

SEMIPROFESSIONAL TILLERS

Modern tiller models, equipped with General Engine engines and a 3 speed gearbox that will be able to help in housework or on surfaces between 300 and 5000sqm.



DAC 6000K

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain + sprockets
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	60002015



DAC 6500K

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	6500k2017



DAC 7000K START

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	700012016

INCLUDED

Rubber wheels set 400x8





DAC 7000K

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	700012016

INCLUDED Rubber wheels set 400x8
Counterweights 10 kg
Ditcher



DAC 7000ACC1

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	70002016acc1

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweights 10 kg
Adjustable ditcher



DAC 7000ACC2

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	70 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	70002016acc2

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweight 10 kg
One-furrow plough
Accessories adapter



FULL RANGE OF ACCESSORIES



DAC 7000Acc3

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	70 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	70002022acc3

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweights 10 kg
Ditcher
One-furrow plough
Potato plough
Cultivator
Accessories adapter



DAC 7000Acc4

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	70002022acc4

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Ditcher
One-furrow plough
Potato plough
Accessories adapter
Cultivator
Trailer 450 kg





RURIS 7500ACC1

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc1

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweights 10 kg
Ditcher



RURIS 7500ACC2

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc2

INCLUDED Rubber wheels set 400x8
One-furrow plough
Accessories adapter
Trailed accessory Navigator 88



RURIS 7500ACC3

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc3

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Adjustable ditcher
One-furrow plough
Potato plough
Multifunctional cultivator 2 ditchers
Accessories adapter
Trailed accessory Navigator 88





Scan the QR code
to find out more about
RURIS semiprofessional tillers.



RURIS 7500ACC4

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc4

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
One-furrow plough
Counterweights 10 kg



RURIS 7500ACC5

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc5

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweights 10 kg
Adjustable ditcher
One-furrow plough
Potato plough
Multifunctional cultivator 2 ditchers
Accessories adapter



RURIS 7500ACC6

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	75002019acc6

INCLUDED Rubber wheels set 400x8
Metallic wheels set 350
Counterweights 10 kg
Adjustable ditcher
One-furrow plough
Potato plough
Multifunctional cultivator 2 ditchers
Trailed accessory Navigator 88
Accessories adapter
Trailer 450 kg



MULTIFUNCTIONAL EQUIPMENT

Through this innovation, RURIS practically transforms the tiller into a multifunctional machine. Our multifunctional equipment can be used both as a tiller and as a mower. The rotary drum system was designed to support RURIS customers, who now have the opportunity to

turn the classic tiller into a mower. This system involves low effort and low costs for the user. The CRT device, equipped with 4 retractable knives, allows mowing areas of up to 5ha and is designed so that the user can mow any type of grass.



RURIS 6500CRT

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt and chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	250ml/kWh
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	6500crt2021



RURIS 7800CRT

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Start-up	Manual
Transmission type	belt, chain
Transmission case	Aluminum
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	80 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	78002019



RURIS CRT570

One-drum mowing system

Drum diameter 570 mm



SCAN AND
WATCH
VIDEO

PROFESSIONAL TILLERS

The tiller models designed and configured by RURIS are adapted to different crop types and soil specifics and can perform complex agricultural work or light operations for your home garden. We have chosen for the agricultural machines we make new, durable materials of the highest quality which provide them an optimum weight in order to be easily handled.



RURIS 651KSD

Engine	General Engine
Engine type	4 stroke
Engine power	6 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	800-1000 mm
Tilling depth	100-200 mm
Fuel	Diesel fuel
Fuel tank capacity	2.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.75l
Transmission oil capacity	2.2l
Weight	87 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	65112019

INCLUDED

Rubber wheels set 400x8
Metallic wheels set 400
Counterweights 10 kg
Ditcher



RURIS 701KS

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Classic
Transmission	Pulley-belt, gears
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max. 290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.5l
Weight	85 kg
Average worked area	600-1000 sqm/h
Product warranty	24 months
Product code	7012016acc

INCLUDED

Rubber wheels set 400x8
Metallic wheels set 400
Reversible plough rev1



RURIS 731K START

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max. 340 mm
Fuel	Unleaded fuel
Fuel tank capacity	4.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.6/2.2l*
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	731K12021

*Some of the machines manufactured in 2022 are equipped with gearboxes where the capacity of the transmission oil bath is 1.6L.



RURIS 731K

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max. 340 mm
Fuel	Unleaded fuel
Fuel tank capacity	4.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.6/2.2l*
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	731K12021

INCLUDED Rubber wheels set 500x8
Metallic wheels set 350
Counterweights 10 kg
Adjustable ditcher



RURIS 731ACC1

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	150-340 mm
Fuel	Unleaded fuel
Fuel tank capacity	4.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.6/2.2l
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	7312021acc1

INCLUDED Rubber wheels set 500x8
Metallic wheels set 400
Counterweights 10 kg
Ditcher
One-furrow plough
Potato plough
Accessories adapter
Cultivator



RURIS 731ACC2

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	150-340 mm
Fuel	Unleaded fuel
Fuel tank capacity	4.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.6/2.2l
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	7312021acc

INCLUDED Rubber wheels set 500x8
Ditcher
Trailed accessory Navigator 88



* Some of the machines manufactured in 2022 are equipped with gearboxes where the capacity of the transmission oil bath is 1.6L.

PROFESSIONAL TILLERS



RURIS 731ACC3

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	150-340 mm
Fuel	Unleaded fuel
Fuel tank capacity	4.5l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	1.6/2.2l
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	7312022acc3

INCLUDED



Rubber wheels set 500x8
Metallic wheels set 400
Counterweights 10 kg
Ditcher
One-furrow plough
Potato plough
Cultivator
Accesories adapter
Trailer 450 kg



RURIS 732ACC

Engine	General Engine
Engine type	4 stroke
Engine max. power	8.5 HP
Engine displacement	208 cc
Ignition system	Electronic
Emergency stop lever	Standard equipment
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	560-830 mm
Tilling depth	Max 340 mm
Fuel	Unleaded fuel
Fuel tank capacity	3,6l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Transmission oil capacity	2.2l
Weight	86 kg
Average worked area	600-1000 sqm/h
Product code	7322021acc

INCLUDED



Rubber wheels set 500x8
Metallic wheels set 400
Counterweights 10 kg
Ditcher
One-furrow plough
Potato plough
Cultivator
Accesories adapter
Trailer 450 kg



RURIS 751KS START

Engine	General Engine
Engine type	4 stroke
Engine max. power	9.5 HP
Engine displacement	270 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	640-900 mm
Tilling depth	100-350 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1.3 l/h
Engine oil capacity	0.85l
Transmission oil capacity	3l
Weight	125 kg
Average worked area	700-1200 sqm/h
Product code	75152021



RURIS 751KS

Engine	General Engine
Engine type	4 stroke
Engine max. power	9.5 HP
Engine displacement	270 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	640-900 mm
Tilling depth	100-350 mm
Fuel	Unleaded fuel
Fuel tank capacity	3l
Avg. fuel consumption	1.3 l/h
Engine oil capacity	0.85l
Transmission oil capacity	3l
Weight	125 kg
Average worked area	700-1200 sqm/h
Product code	75152021

INCLUDED Rubber wheels set 500x10
Metallic wheels set 400
Counterweights 10 kg
Ditcher
Reversible plough rev1



RURIS 753K

Engine	General Engine
Engine type	4 stroke
Engine power	7.5 HP
Engine displacement	212 cc
Ignition system	Electronic
Lightning system	-
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	3 forward + 1 reverse
Tilling width	990-1010 mm
Tilling depth	150-290 mm
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	395 ml/kWh
Engine oil capacity	0.6l
Transmission oil capacity	1.7l
Weight	84 kg
Average worked area	600-1000 sqm/h
Product code	753k12020

INCLUDED Rubber wheels 500x8
Metallic wheels 350
Counterweights 10 kg
One furrow plough
Accessories adapter



RURIS 913ACC

Engine	General Engine
Engine type	4 stroke
Engine power	13 HP
Engine displacement	390 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1100 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	2.6l
Weight	143 kg
Average worked area	800-1500 sqm/h
Product code	91312019

INCLUDED Rubber wheels 500x12
Metallic wheels 500
Counterweights 20 kg
Reversible plough rev2





RURIS 915K

Engine	General Engine
Engine type	4 stroke
Engine power	15 HP
Engine displacement	420 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1100 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	2.6l
Weight	146 kg
Average worked area	800-1500 sqm/h
Product code	91512019

INCLUDED

Rubber wheels 500x12
Counterweights 20 kg
Ditcher



RURIS 915ACC

Engine	General Engine
Engine type	4 stroke
Engine power	15 HP
Engine displacement	420 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1100 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	2.6l
Weight	146 kg
Average worked area	800-1500 sqm/h
Product code	9152019acc

INCLUDED

Rubber wheels 500x12
Metallic wheels 500
Counterweights 20 kg
Ditcher
Reversible plough rev2



RURIS 918K

Engine	General Engine
Engine type	4 stroke
Engine power	18 HP
Engine displacement	460 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual and automatic
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1100 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	2.6l
Weight	164 kg
Average worked area	800-1500 sqm/h
Product code	91812019

INCLUDED

Rubber wheels 600x12
Counterweights 20 kg
Ditcher



PROFESSIONAL TILLERS



RURIS 918ACC

Engine	General Engine
Engine type	4 stroke
Engine power	18 HP
Engine displacement	460 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual and automatic
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1100 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	2.6l
Weight	164 kg
Average worked area	800-1500 sqm/h
Product code	9182019acc

INCLUDED

Rubber wheels 600x12
Metallic wheels 500
Counterweights 20 kg
Ditcher
Reversible plough



RURIS 1001KSD START

Engine	General Engine
Engine type	4 stroke
Engine max. power	11 HP
Engine displacement	408 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual and automatic
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1250 mm
Tilling depth	100-360 mm
Fuel	Diesel
Fuel tank capacity	5.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.6l
Transmission oil capacity	3l
Weight	171 kg
Average worked area	800-1500 sqm/h
Product code	10012018



AUTOMATIC
KEY IGNITION

RURIS 1001KSD

Engine	General Engine
Engine type	4 stroke
Engine max. power	11 HP
Engine displacement	408 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual and automatic
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1250 mm
Tilling depth	100-360 mm
Fuel	Diesel
Fuel tank capacity	5.5l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.6l
Transmission oil capacity	3l
Weight	171 kg
Average worked area	800-1500 sqm/h
Product code	10012018

INCLUDED

Rubber wheels 500x12
Metallic wheels 500
Counterweights 20 kg
Reversible plough



PROFESSIONAL TILLERS



RURIS 1300KS

Engine	General Engine
Engine type	4 stroke
Engine power	13 HP
Engine displacement	389 cc
Ignition system	Electronic
Lightning system	Headlight
Startup	Manual and automatic
Gear stick	Fast comfort
Transmission	sprockets in oil bath
Transmission case	ductile iron
Gear shifting	2 forward + 1 reverse
Tilling width	750-1250 mm
Tilling depth	100-360 mm
Fuel	Unleaded fuel
Fuel tank capacity	6l
Avg. fuel consumption	1.7 l/h
Engine oil capacity	1.1l
Transmission oil capacity	3l
Weight	171 kg
Average worked area	800-1500 sqm/h
Product code	130012019

INCLUDED

Rubber wheels 500x12
Metallic wheels 500
Counterweights 20 kg
Reversible plough



**AUTOMATIC
KEY IGNITION**

CG counterweights sets



CG counterweights set 10 kg



Compatible with:
Metallic wheels set 350 TS 103
Metallic wheels set 400 TS 103

Order code: cgs10kg




CG counterweights set 20 kg






Compatible with:
Metallic wheels set 500 TG 320

Order code: cgs20kg

CG counterweight assembly



Preview	Code - Description	Preview	Code - Description	Preview	Code - Description
	code - 10340084 Rubber wheels set TS103 400x8		code - 30010314 Metallic wheels set 350 TS103		code - sem32019 Three row seeder
	code - 4001020 Rubber wheels set 400x10		code - 40010314 Metallic wheels set 400 TS103		code - sempts219 High precision seeder PTS2
	code - 50082020 Rubber wheels set 500x8		code - 40032017 Metallic wheels set 400 TG 320		code - crt570 One-drum mowing system CRT570
	code - 50012320 Rubber wheels set TG 320 500x12		code - 50032017 Metallic wheels set 500 TG 320		code - 16502016 Potatoe fertilizer and planter
	code - 6001220 Rubber wheels set 600x12		code - 50032017 Counterweights 10 kg		code - 30010314 Metallic wheels set 350 TS103
	code - 10327172 Ditcher TS103		code - 50032017 Counterweights 20 kg		code - 80012019 Tiller snow blade
	code - 10332016 Adjustable ditcher		code - 14142014 Accessories adapter TS103		code - 18812019 Trailed accessory Navigator 88
	code - 10317071 One-furrow plough TS 103		code - 71727322 HUB set plough TS103 (710, 721, 731, 732)		code - 18812019 Trailed accessory Navigator 99
	code - 16502014 Potato plough		code - 71rev122 HUB set for rev1 one-furrow plough		code - 450s2021 RURIS 450S Trailer
	code - 21032014 Cultivator TS 103		code - 71rev222 HUB set for rev2 one-furrow plough		code - 550s2021 RURIS 550S Trailer
	code - 21052016 Multifunctional cultivator with 2 ditchers		code - 14142014 HUB set TG 320		code - 750s2021 RURIS 750S Trailer
	code - rev12015 One-furrow plough /reversible rev1		code - 70535103 Universal HUB set TS103	 TELESCOPIC TIPPING 	code - 451xl2021 RURIS 451XL Trailer
	code - rev22015 One-furrow plough /reversible rev2		code - 7053510303b HUB with lock TS103		
	code - 97172016 Water pump for tiller (751KS, 1001KSD)		code - 70535320 HUB with lock TG 320	 TELESCOPIC TIPPING 	code - 451xl2021 RURIS 451XL Trailer
	code - 97182019 Water pump for tiller (6500K, 7000K)		code - 280crt20 HUB with lock CRT 280		code - 551xl2021 RURIS 551XL Trailer
Preview	Code - Description	Preview	Code - Description	Preview	Code - Description

NEW RANGE OF ULTRA LIGHT



ENGINES
KHUMMA
CONCEPT

NOV 2023

SMART ASSISTANT
DIGITAL DISPLAY

3,8kg

6 SMART FEATURES
Monitoring

INCLUDED

BRUSHCUTTER
RURIS 240BRAVO

2 Stroke engine, gasoline
Cutting diameter: 255 mm
Digital monitoring: 6 FEATURES

1 HP

Product code: 240rr2022

ENGINES
KHUMMA
CONCEPT

NEW 2023

SMART ASSISTANT
DIGITAL DISPLAY

3,9kg

6 SMART FEATURES
Monitoring

INCLUDED

BRUSHCUTTER
RURIS 241BRAVO

2 Stroke engine, gasoline
Cutting diameter: 255 mm
Digital monitoring: 6 FEATURES

1 HP

Product code: 241rr2022

SMART BRUSHCUTTERS

NEW RANGE OF BRUSHCUTTERS ULTRA LIGHT RURIS RR BRAVO



ENGINES
KHUMMA
CONCEPT

NEW 2023

SMART ASSISTANT
DIGITAL DISPLAY

4kg

INCLUDED



BRUSHCUTTER

RURIS 242BRAVO

1 HP

2 Stroke engine, gasoline

Cutting diameter: 255 mm

Digital monitoring: 6 FEATURES

Product code: 242rr2022

DIGITAL TECHNOLOGY

Personal
assistant
with
**DIGITAL
DISPLAY**

4 Kg

LOW
WEIGHT

**6 SMART
FEATURES
Monitoring**

08:20

USE TIME
(TOTAL/PARTIAL)



CURRENT
TIME



RPM
Display



ASSISTANCE
MAINTENANCE
AIR FILTER



ASSISTANCE
MAINTENANCE
SPARK PLUG



ASSISTANCE
MAINTENANCE
REDUCER

08:20

USE TIME
(TOTAL/PARTIAL)



CURRENT
TIME



RPM
DISPLAY



ASSISTANCE
MAINTENANCE
AIR FILTER



ASSISTANCE
MAINTENANCE
SPARK PLUG



ASSISTANCE
MAINTENANCE
REDUCER

Digital tachometer

The Bravo brushcutters range is equipped with a digital tachometer that allows 6 intelligent monitoring functions.

Both the functions of the brushcutter and the maintenance periods for its components can be easily tracked by the user.

PREMIUM BRUSHCUTTERS

RURIS RR brushcutters are specially designed to meet the most demanding requirements, being created for harsh working and environmental conditions. The brushcutters for their outstanding qualities, such as efficiency, reliability and durability.



RURIS RR270

Engine	Khumma
Engine type	2 stroke
Engine power	1.5 HP
Engine displacement	27.2 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	0.7l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Harness	Single belt
Handles	Ergonomic
Handles support	Standard
Right handle vibrations	5.87 m/s²
Left handle vibrations	5.97 m/s²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	5.6 kg
Product code	270rr2022

INCLUDED Trimmer Head
3 teeth blade
Single belt harness



RURIS RR360

Engine	Khumma
Engine type	2 stroke
Engine power	2.4HP
Engine displacement	36.3 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	5.18 m/s²
Left handle vibrations	4.79 m/s²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.2 kg
Product code	360rr2022

INCLUDED Trimmer Head
3 teeth blade
Harness





Scan the QR code
to find out more about
RURIS premium brushcutters.



MODULAR RIGID SHAFT



The **RURIS RR362** brushcutter is perfect for households. It can be used not only for mowing grass in the yard, but also for weeds, dense and hardy grass, both in plain and hill areas, as well as for landscaping.

RURIS RR362

Engine	Khumma
Engine type	2 stroke
Engine power	2.4HP
Engine displacement	36.3 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.28l/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	5.18 m/s ²
Left handle vibrations	4.79 m/s ²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.3 kg
Product code	362rr2022

INCLUDED Trimmer Head
3 teeth blade
Harness



PREMIUM BRUSHCUTTERS

- ✓ Wide range of uses
- ✓ Wide range of accessories
- ✓ Ergonomic design
- ✓ Easy start
- ✓ Economical use
- ✓ Reduced vibrations
- ✓ Easy maintenance



RURIS RR400

Engine	Khumma
Engine type	2 stroke
Engine power	2.8HP
Engine displacement	41.2 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.24l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	5.84 m/s ²
Left handle vibrations	5.96 m/s ²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.2 kg
Product code	400rr2022

INCLUDED

Trimmer Head
3 teeth blade
Harness



RURIS RR460

Engine	Khumma
Engine type	2 stroke
Engine power	3HP
Engine displacement	46.5 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	6.28 m/s ²
Left handle vibrations	5.89 m/s ²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.2 kg
Product code	460rr2022

INCLUDED

Trimmer Head
3 teeth blade
Harness



QUICK HANDLE ADJUSTMENT SYSTEM **RURIS** PlusComfort



Simple and quick adjustment
of the handle



RURIS
INNOVATION



RURIS RR400C

Engine	Khumma
Engine type	2 stroke
Engine power	2.8HP
Engine displacement	41.2 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.24l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	3.4 m/s ²
Left handle vibrations	4.35 m/s ²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.7 kg
Product code	400crr2022

INCLUDED Trimmer Head
3 teeth blade
Harness



RURIS RR460C

Engine	Khumma
Engine type	2 stroke
Engine power	3HP
Engine displacement	46.5 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	RURIS PlusComfort
Right handle vibrations	3.12 m/s ²
Left handle vibrations	4.36 m/s ²
Working width	255 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	6.7 kg
Product code	460crr2022

INCLUDED Trimmer Head
3 teeth blade
Harness



Shock Absorber
AMORTIZOR VIBRATII



Efficient vibration damping system that protects the user's hands



RURIS
INNOVATION

BRUSHCUTTERS

The *RURIS* brushcutters are distinguished by its outstanding qualities such as efficiency, reliability and durability.



DAC 210

Engine	Tez
Engine type	2 stroke
Engine power	1.7 HP
Engine displacement	42 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.2l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	Standard
Right handle vibrations	2.36 m/s ²
Left handle vibrations	2.37 m/s ²
Working width	200-250 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	7.5 kg
Product code	21020141

INCLUDED

Trimmer Head
3 teeth blade
Harness



DAC 310

Engine	Tez
Engine type	2 stroke
Engine power	2.5 HP
Engine displacement	52 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.2l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	Standard
Right handle vibrations	2.41 m/s ²
Left handle vibrations	2.42 m/s ²
Working width	200-250 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	8 kg
Product code	31020141

INCLUDED

Trimmer Head
3 teeth blade
Harness



DAC 410


Engine	Tez
Engine type	2 stroke
Engine power	3.3 HP
Engine displacement	57 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.2l
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Handles	Ergonomic
Handles support	Standard
Right handle vibrations	2.41 m/s ²
Left handle vibrations	2.42 m/s ²
Working width	200-250 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Shaft type	With Grooves
Blade	3 teeth
Weight	8 kg
Product code	41012020

INCLUDED

Trimmer Head
3 teeth blade
80 teeth blade vidia
Harness



MULTIFUNCTIONAL BRUSHCUTTER



DAC 335

Engine	Khumma
Engine type	2 stroke
Engine power	1.7 HP
Engine displacement	52 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	850 ml
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Single belt
Chainsaw file and chain	30 cm, 3/8 1.3
Hedge trimmer L x W	450 mm x 19 mm
Product code	33512019

INCLUDED 3 teeth blade
Trimmer Head
Hedge trimmer
Chainsaw
Chainsaw extension

5in1 RURIS



RURIS 300S

Engine	Khumma
Engine type	2 stroke
Engine power	1 HP
Engine displacement	31 cc
Ignition system	Electronic
Startup	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	700 ml
Avg. fuel consumption	0.25l/kWh
Fuel mixing	25 ml oil/ 1l fuel
Harness	Double belt
Working width	254 mm
Average cutting radius	2100 mm
Shaft diameter	28 mm
Blade	3 teeth
Weight	7.6 kg
Product code	30032019

INCLUDED Trimmer Head
3 teeth blade



MOTOR MOWERS



DAC 777K

Engine	Loncin
Engine type	4 stroke
Engine power	5 HP
Engine displacement	159 cc
Ignition system	Electronic
Start-up	Manual
Multifunctional product	Standard
Wheel transmission	On belt
Blade transmission	Connecting rod type
Fuel	Unleaded fuel
Fuel tank capacity	1l
Avg. fuel consumption	1 l/h
Engine oil capacity	0.6l
Blade gear shifting	1 forward
Clutch type	Belt expander
Cutting width	870 mm
Mower blade type	Blade with knives
Average work area	2600 sqm/h
Weight	59 kg
Product code	77712015

The motor mowers can cut any type of plant, even polyphlora grass, thanks to the sharp blade and high speeds. Beyond efficiency in mowing, a motor mower offers users the convenience of its ergonomic design and low weight. With all these features, a motormower is the best choice for you and the garden of your dreams.



Scan the QR code
to find out more about
RURIS motor mowers.

MIST DUSTERS

The *RURIS* mist duster can be successfully used to disperse pesticides through several nozzles as a fog at a 2.5 bar pressure. Due to the large capacity tank, large areas can be splashed. No special maintenance operations are required, the mist duster being designed for a long life and tough operating and environmental conditions.



RURIS A102

Engine	Tez
Engine type	2 stroke
Engine power	2.9 HP
Engine displacement	42 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.4l
Avg. fuel consumption	1 l/h
Fuel mixing	25 ml oil/ 1l fuel
Liquid tank capacity	14l
Spraying levels (fog, drop, jet)	3
Discharge speed	100Km/h
Spraying jet type	Drop/Fog
Maximum horizontal spraying distance	12m
Maximum vertical spraying distance	7m
Weight	12.5 kg
Product code	10262014

INCLUDED

Mask with filter
Work eyewear
Reusable work suit

RURIS A103S

Engine	Tez
Engine type	2 stroke
Engine power	3 HP
Engine displacement	44 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.4l
Avg. fuel consumption	1 l/h
Fuel mixing	25 ml oil/ 1l fuel
Liquid tank capacity	16l
Spraying levels (fog, drop, jet)	3
Discharge speed	100 Km/h
Spraying jet type	Drop/Fog
Maximum horizontal spraying distance	12m
Maximum vertical spraying distance	10m
Weight	13 kg
Product code	10362014

INCLUDED

Powder and granule dispersion device
Mask with filter
Work eyewear
Reusable work suit



Built-in pressure pump for
spraying at 90°+ with normal
pressure

RURIS A109S

Engine	Tez
Engine type	2 stroke
Engine power	3 HP
Engine displacement	41.5 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	1.4l
Avg. fuel consumption	1 l/h
Fuel mixing	25 ml oil/ 1l fuel
Liquid tank capacity	14l
Spraying levels (fog, drop, jet)	4
Discharge speed	100 Km/h
Spraying jet type	Drop/Fog
Maximum horizontal spraying distance	12m
Maximum vertical spraying distance	10m
Weight	13 kg
Product code	10912020

INCLUDED

Powder and granule dispersion device
Professional protective headphones
Mask with filter
Work eyewear
Reusable work suit



Built-in pressure pump for
spraying at 90°+ with normal
pressure

SPRAYERS

RURIS sprayers are easy to carry and handle thanks to ergonomic shapes and good quality harness. Spray precision is provided by die-castings of wear and chemical deformation materials. Sprayers in the 1600-1800 range offer precise pressure control thanks to the pressure gauge mounted on the handle. The telescopic lance, that they are equipped with, makes the difference when spraying is needed at places at places hard to reach.



RURIS RS500

Action type	Manual
Tank volume	5l
Working pressure	0.2-0.3 Mpa
Lance	Metallic
Belts	Superior strenght
Weight	1.3 kg
Product code	500rs2018



RURIS RS800

Action type	Manual
Tank volume	8l
Working pressure	0.2-0.3 Mpa
Lance	Metallic
Belts	Superior strenght
Weight	1.5 kg
Product code	800rs2018



RURIS RS1000

Action type	Manual
Tank volume	10l
Working pressure	0.2-0.3 Mpa
Lance	Metallic
Belts	Superior strenght
Weight	1.6 kg
Product code	1000rs2018



RURIS RS1600

Action type	Manual
Tank volume	16l
Working pressure	0.2-0.4 Mpa
Lance	Telescopic Metallic
Belts	Superior strenght
Weight	2.8 kg
Product code	1600rs2018



RURIS RS1800

Action type	Electrical engine
Tank volume	18l
Working pressure	0.2-0.4 Mpa
Lance	Telescopic Metallic
Belts	Superior strenght
Battery type	12V 8Ah
Autonomy	4h
Weight	2.8 kg
Product code	1800rs2018



RURIS RS2000

Action type	Electrical engine
Tank volume	20l
Working pressure	0.2-0.4 Mpa
Lance	Telescopic Metallic
Belts	Superior strenght
Battery type	12V 8Ah
Autonomy	4h
Weight	5.9 kg
Product code	2000rs19

WATER PUMPS

RURIS water pumps are successfully used in all applications that require pumping water. Our water pumps are specially manufactured to work in any temperature condition.




RURIS MP30




RURIS MP40




RURIS MP50

Engine	TEZ
Engine type	2 stroke
Engine power	1.7 HP
Engine displacement	51.7 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Avg. fuel consumption	0.5 l/h
Output hose diameter	1.5"
Absorption depth	8m
Vertical discharge	14m
Horizontal discharge	140m
Maximum flow	15m³/h
Damping system	Rubber buffer
Weight	10 kg
Product code	30mp3018

Engine	General Engine
Engine type	4 stroke
Engine power	2.5 HP
Engine displacement	97 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	1.4l
Avg. fuel consumption	0.7 l/h
Output hose diameter	1.5"
Absorption depth	8m
Vertical discharge	14m
Horizontal discharge	140m
Maximum flow	20m³/h
Damping system	Rubber buffer
Weight	14 kg
Product code	40mp4018

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1.75l/h
Output hose diameter	2"
Absorption depth	8m
Vertical discharge	25m
Horizontal discharge	250m
Maximum flow	25m³/h
Damping system	Rubber buffer
Weight	25 kg
Product code	50mp5018

INCLUDED Discharge hose 2", 20m



**RURIS MP80**

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1.75/h
Output hose diameter	3"
Absorption depth	8m
Vertical discharge	25m
Horizontal discharge	250m
Maximum flow	48m ³ /h
Damping system	Rubber buffer
Weight	38 kg
Product code	80mp8018

INCLUDED Discharge hose 3", 20m

**RURIS MP90**

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1.75/h
Output hose diameter	2"
Absorption depth	8m
Vertical discharge	65m
Horizontal discharge	400m
Maximum flow	30m ³ /h
Damping system	Rubber buffer
Weight	25 kg
Product code	90mp9018

**RURIS MP100**

Engine	General Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1.75/h
Output hose diameter	3"
Absorption depth	8m
Vertical discharge	25m
Horizontal discharge	250m
Maximum flow	48m ³ /h
Damping system	Rubber buffer
Weight	31 kg
Product code	100mp10018

Scan the QR code
to find out more about
RURIS water pumps.



WATER PUMPS



RURIS MP200XR

Engine	General Engine
Engine type	4 stroke
Engine power	6.5 HP
Engine displacement	196 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	250g/kW/h
Output hose diameter	2"
Absorption depth	8m
Vertical discharge	65m
Horizontal discharge	650m
Maximum flow	30m ³ /h
Damping system	Rubber buffer
Weight	69 kg
Product code	200xr2019



RURIS MP300XR

Engine	General Engine
Engine type	4 stroke
Engine power	13 HP
Engine displacement	389 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Unleaded fuel
Fuel tank capacity	7.8l
Avg. fuel consumption	250g/kW/h
Output hose diameter	3"
Absorption depth	8m
Vertical discharge	80m
Horizontal discharge	800m
Maximum flow	40m ³ /h
Damping system	Rubber buffer
Weight	71 kg
Product code	300xr2019

DID YOU KNOW?

The RURIS MP200XR and RURIS MP300XR water pumps are equipped with a closed vane turbine and are intended for column irrigation with sprinkler or drip. The chassis, resistant to vibrations and shocks, allows use in any operating conditions. The engine is protected by the oil sensor, for situations where it is used with insufficient oil.

PREMIUM CHAINSAWS

RURIS premium chainsaws are designed for households and farms, as well as in construction or in forestry. With the help of the RURIS chainsaw you can complete complex works, fine woodworking and you can enjoy the quality of a well done job with a low effort.



RURIS RM280

Engine	Khumma
Engine type	2 stroke
Engine power	1.5 HP
Engine displacement	28.5 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.21l
Oil tank capacity	0.20l
Avg. fuel consumption	460g/kWh
Fuel mixing	20 ml oil/ 1l gasoline
Front handle vibrations	6.78 m/s ²
Back handle vibrations	7.2 m/s ²
Carburetor	Walbro
Standard bar lenght	300 mm
Chain pitch size	3/8" 1.3 PM 22+1
Chain extent	Chain Tensioner
Weight	3.26 kg
Product code	280rm2022

OREGON
PROFESSIONAL
CHAIN&BAR

WALBRO
CARBURETOR





RURIS RM300

Engine	Khumma
Engine type	2 stroke
Engine power	1.5 HP
Engine displacement	28.5 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.21l
Oil tank capacity	0.20l
Avg. fuel consumption	460g/kWh
Fuel mixing	20 ml oil/ 1l gasoline
Front handle vibrations	7.5 m/s²
Back handle vibrations	7.0 m/s²
Carburetor	Walbro
Standard bar length	300 mm
Chain pitch size	3/8" 1.3 PM 22+1
Chain extent	Chain Tensioner
Weight	3.4 kg
Product code	300rm2022



RURIS RM350

Engine	Khumma
Engine type	2 stroke
Engine power	2 HP
Engine displacement	35 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.41l
Oil tank capacity	0.28l
Avg. fuel consumption	464g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	5.65 m/s²
Back handle vibrations	6.65 m/s²
Carburetor	Walbro
Standard bar length	350 mm
Chain pitch size	3/8" 1.3 PM 26+1
Chain extent	Chain Tensioner
Weight	4.65 kg
Product code	350rm2022

- ✓ Wide range of uses
- ✓ Easy handling
- ✓ Ergonomic design
- ✓ Easy start
- ✓ Economical use
- ✓ Reduced vibrations
- ✓ Easy maintenance



Scan the QR code
to find out more about
RURIS premium chainsaws.

OREGON
PROFESSIONAL
CHAIN&BAR

WALBRO
CARBURETOR



OREGON
PROFESSIONAL
CHAIN&BAR

WALBRO
CARBURETOR



PREMIUM CHAINSAWS

ROBUST AND PERFORMANT CHAINSAW MODELS



RURIS RM420

Engine	Khumma
Engine type	2 stroke
Engine power	2.8 HP
Engine displacement	45.4 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.55l
Oil tank capacity	0.26l
Avg. fuel consumption	475g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	6.09 m/s²
Back handle vibrations	5.39 m/s²
Carburetor	Walbro
Standard bar length	400 mm
Chain pitch size	3/8" 1.3 PM 28+1
Chain extent	Chain Tensioner
Weight	5.2 kg
Product code	420rm2022



RURIS RM450

Engine	Khumma
Engine type	2 stroke
Engine power	3 HP
Engine displacement	45.4 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.52l
Oil tank capacity	0.25l
Avg. fuel consumption	513g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	5.82 m/s²
Back handle vibrations	6.45 m/s²
Carburetor	Walbro
Standard bar length	400 mm
Chain pitch size	0.325" 1.5RS 32
Chain extent	Chain Tensioner
Weight	5.7 kg
Product code	450rm2022



RURIS RM500

Engine	Khumma
Engine type	2 stroke
Engine power	3.3 HP
Engine displacement	50.9 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.52l
Oil tank capacity	0.25l
Avg. fuel consumption	582g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	6.13 m/s²
Back handle vibrations	6.27 m/s²
Carburetor	Walbro
Standard bar length	450 mm
Chain pitch size	0.325" 1.5RS 36
Chain extent	Chain Tensioner
Weight	5.7 kg
Product code	500rm2022

OREGON
PROFESSIONAL
CHAIN&BAR

OREGON
PROFESSIONAL
CHAIN&BAR

OREGON
PROFESSIONAL
CHAIN&BAR

WALBRO
CARBURETOR



WALBRO
CARBURETOR



WALBRO
CARBURETOR





RURIS RM540

Engine	Khumma
Engine type	2 stroke
Engine power	3.6 HP
Engine displacement	54.3 cc
Ignition system	Electronic
Start-up	Easy START +
Fuel	Gasoline/oil mix
Fuel tank capacity	0.52l
Oil tank capacity	0.25l
Avg. fuel consumption	566g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	6.34 m/s²
Back handle vibrations	6.25 m/s²
Carburetor	Walbro
Standard bar length	500 mm
Chain pitch size	0.325" 1.5RS 38
Chain extent	Chain Tensioner
Weight	5.7 kg
Product code	540rm2022

OREGON
PROFESSIONAL
CHAIN&BAR

WALBRO
CARBURETOR





DID YOU KNOW?

The cooling system is optimized in every detail to give you a reliable chainsaw for any task. It has a large capacity filter with a large surface area for better filtration for a long time. The new lightweight components, complemented by the Oregon guide bar, make RURIS premium chainsaws significantly lighter. The low weight, the optimized balance and the improved shape of the handle make it possible to prolong the work in increased comfort.


CHAINSAWS

RURIS and DAC chainsaws are designed for many types of uses, both in households and farms, as well as in construction or in forestry. With the help of the RURIS chainsaw you can complete complex works, fine woodworking and you can enjoy the quality of a well done job with a low effort.




 **DAC 401S**

Engine	Tez
Engine type	2 stroke
Engine power	2 HP
Engine displacement	41 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	0.31l
Oil tank capacity	0.26l
Avg. fuel consumption	560g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	3.22m/s²
Back handle vibrations	3.34m/s²
Standard bar lenght	400 mm
Chain pitch size	3/8" 1.3 PM 28+1
Chain extent	Frontal
Weight	5.5 kg
Product code	40120141



 **DAC 456**

Engine	Tez
Engine type	2 stroke
Engine power	2.5 HP
Engine displacement	45 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	0.55l
Oil tank capacity	0.26l
Avg. fuel consumption	550g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	3.22m/s²
Back handle vibrations	3.34m/s²
Standard bar lenght	400 mm
Chain pitch size	0.325" 1.5 RS 33
Chain extent	Frontal
Weight	6.4 kg
Product code	45620171



 **DAC 506**

Engine	Tez
Engine type	2 stroke
Engine power	3 HP
Engine displacement	54 cc
Ignition system	Electronic
Start-up	Manual
Fuel	Gasoline/oil mix
Fuel tank capacity	0.55l
Oil tank capacity	0.26l
Avg. fuel consumption	550g/kWh
Fuel mixing	25 ml oil/ 1l gasoline
Front handle vibrations	3.22m/s²
Back handle vibrations	3.34m/s²
Standard bar lenght	450 mm
Chain pitch size	0.325" 1.5 RS 38
Chain extent	Frontal
Weight	6.5 kg
Product code	50620171




Scan the QR code
to find out more about
RURIS chainsaws.




ELECTRIC CHAINSAWS

DAC electric chainsaws are specially designed for works in the building sector or woodworking shops. Due to the low noise and the absence of emissions they can be used in all closed areas. The electric chainsaw has great applicability also in households where the wood has to be prepared for fire. As standard, the chassis is equipped with the chain brake device, for emergency stop or blockage chain in case of back stroke phenomenon in contact with the wood surface.



DAC 316E

Engine	Electric
Engine power	1600 W
Standard bar length	350 mm
Chain pitch size	3/8" 1.3 PM
Weight	5 kg
Product code	316e2015



DAC 322E

Engine	Electric
Engine power	2200 W
Standard bar length	400 mm
Chain pitch size	3/8" 1.3 PM
Weight	5.2 kg
Product code	322e2015



POLE PRUNERS

The RURIS R10 pruning knife is specially designed to take care of trees, especially trees that need to be pruned from the ground. Thus the crown and branches of the tree are protected. The user makes the cuts from the ground in maximum safety. The cutting height is between 2m-5m.



RURIS R10

Engine	TEZ
Engine type	2 stroke
Engine power	1.4 HP
Fuel	Gasoline/oil mix
Fuel mixing	25 ml oil/ 1l fuel
Standard bar length	300 mm
Chain pitch size	3/8" 1.3 PM
Cutting height	2.8 m
Weight	9.5 kg
Product code	10201710

WOOD SPLITTERS



Scan the QR code
to find out more about
RURIS wood splitters.

RURIS wood splitters are used to split block cut wood in a short time, without physical effort. The wood splitters benefit from a robust design and a hydraulic system that gives ease in the handling of the wooden mass. By construction, splitters are designed to provide both safety and maximum efficiency.




RURIS DL600

Engine power	2.2 kW
Power supply	230V
Protection class	IP54
Maximum splitting force	6 tons
Splitting diameter	Ø 50-250mm
Maximum splitting length	520mm
Hdraulic tank capacity	3L
Weight	44 kg
Product code	600dl12021



RURIS DL700

Engine power	2.2 kW
Power supply	230V
Protection class	IP54
Maximum splitting force	7 tons
Splitting diameter	Ø 50-250mm
Maximum splitting length	520mm
Hdraulic tank capacity	3L
Weight	52.2 kg
Product code	700dl12021



**SPLINTER PROTECTIVE
COVER**
BASE SUPPORT
FOR MORE COMFORT

RURIS DL1000

Engine power	1.8 kW
Power supply	230V
Protection class	IP54
Maximum splitting force	10 tons
Splitting diameter	Ø 50-300mm
Maximum splitting length	520mm
Weight	78 kg
Product code	600dl12023



RURIS DLV1600

Engine power	3.0 kW
Power supply	230V
Protection class	IP54
Maximum splitting force	10 tons
Splitting diameter	Ø 70-400mm
Maximum splitting length	600mm
Hdraulic tank capacity	5.6L
Weight	120 kg
Accessories	Wheels for transport
Product code	1600dlv2023

BRANCH SHREDDERS

RURIS branch and plant debris shredders are made of durable materials and are easy to use and transport. After using RURIS branch shredders, you can use vegetable scraps from the garden as plant fertilizer.

REVERSE FUNCTION
FOR UNCLOGGING



RURIS ST100

Engine power	2.5 kW
Power supply	230-240V
Cut speed	4500 rpm
Collecting basket	40 L
Cutting diameter	30 mm
Product code	100ts21

REVERSE FUNCTION
FOR UNCLOGGING



RURIS ST200

Engine power	2.8 kW
Power supply	230-240V
Cut speed	46 rpm
Collecting basket	45 L
Cutting diameter	35 mm
Product code	200ts21



BRANCH SHREDDERS



RURIS ST300

Product type	Shredder
Engine type	OHV 4-stroke
Engine power	7 HP / 212 cc
Fuel type	Unleaded fuel
Engine speed	3600 rpm
Engine oil capacity	0.6 l
Startup	Manual
Fuel tank capacity	3.6 l
Number of wheels	2
Max. cutting diameter	60 mm
Product warranty	24 months
Wheel size	9 inches
Net/gros weight	45 kg / 60 kg
Fuel consumption	1.7 l / hour
Dry wood shred cap.	150-400 kg / hour
Green wood shred cap.	500-1000 kg / hour
Blade size	70 x 35 x 5 mm



RURIS ST500

Product type	Shredder
Engine type	General Engine
Engine max. power	15 HP / 459 cc
Fuel type	Unleaded fuel
Engine speed	3600 rpm
Engine oil capacity	1.1 l
Startup	Manual
Fuel tank capacity	6.5 l
Number of wheels	2
Max. cutting diameter	100 mm
Product warranty	24 months
Wheel size	5.00-9 inches
Net/gros weight	45 kg / 60 kg
Fuel consumption	1.7 l / hour
Green wood shred cap.	Approx.1000kg/ hour
Blade size	195 x 55 x 7 mm

**NEW
2023**

WELDING MACHINES

MMA INVERTER WELDING MACHINES

140Ah



160Ah



RURIS AS140MMA

Device type	MMA inverter
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	4.5 kVA
Idle voltage	60V
Welding current	20-140A
Operating mode	60%
Electrode diameter	1.6-3.2 mm
Insulation class	H
Protection class	IP21S
Weight	4.9 kg
Product code	as140m2022

INCLUDED

Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
2.5mm 2.5kg Rutile Electrodes
Magnetic Square

RURIS AS160MMA

Device type	MMA inverter
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	5.3 kVA
Idle voltage	60V
Welding current	20-160A
Operating mode	60%
Electrode diameter	2.5-4 mm
Insulation class	H
Protection class	IP21S
Weight	4.9 kg
Product code	as160m2022

INCLUDED

Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
2.5mm 2.5kg Rutile Electrodes
Welding gloves



All RURIS welding machines are equipped with a digital display to display the value of the welding current.



Hot Start is a special feature for MMA (stick-electrode) welding where the machine delivers a peak of current when striking the arc. This is important as it significantly increases the ease of starting electrodes, especially in difficult conditions such as damp electrodes, imperfect surface, or when using 'difficult to run' electrodes etc.



Scan the QR code
to find out more about
RURIS welding machines.

180Ah**RURIS AS180MMA**

Device type	MMA inverter
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	6.2 kVA
Idle voltage	60V
Welding current	20-180A
Operating mode	60%
Electrode diameter	2.5-4 mm
Insulation class	H
Protection class	IP21S
Weight	5.1 kg
Product code	as180m2022

INCLUDED

Welding Mask
Professional Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
3.2mm 2.5kg Rutile Electrodes
Welding gloves

200Ah**RURIS AS200MMA**

Device type	MMA inverter
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	7.1 kVA
Idle voltage	60V
Welding current	20-200A
Operating mode	60%
Electrode diameter	2.5-4 mm
Insulation class	H
Protection class	IP21S
Weight	5.6 kg
Product code	as200m2022

INCLUDED

Welding Mask
Professional Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
3.2mm 2.5kg Rutile Electrodes
Welding gloves
Welding apron
Magnetic Square



Arc Force, sometimes called "Dig" or "Arc Control", is a similar feature to Hot Start, except Arc Force operates during welding, not just at ignition. When the welding machine senses a short circuit it will deliver a peak of current. This greatly assists in stabilizing the arc, preventing the arc from cutting out while welding and preventing electrode sticking.



Anti-Stick allows the stick welding electrode to be easily detached, if it does begin to stick to the job. When the machine senses that the electrode is sticking, it will collapse the welding current to stop the electrode from continuing to weld itself to the job, allowing it to break free easily.

WELDING MACHINES

MMA INVERTER WELDING MACHINES

250Ah



RURIS AS250MMA

Device type	MMA inverter
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	7.1 kVA
Idle voltage	60V
Welding current	20-200A
Operating mode	60%
Electrode diameter	2.5-4 mm
Insulation class	H
Protection class	IP21S
Weight	5.6 kg
Product code	as250m2022

INCLUDED

Welding Mask
Professional Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
3.2mm 2.5kg Rutile Electrodes
Welding gloves
Welding apron
Magnetic Square

CONSUMABLES



RURIS basic electrodes
2.5mm 2,5kg [electrbr2522](#)

RURIS basic electrodes
3.2mm 2,5kg [electrbr3222](#)

RURIS rutile electrodes
2.5mm 2,5kg [electrm2522](#)

RURIS rutile electrodes
3.2mm 2,5kg [electrm3222](#)



RURIS flux 081
welding wire [sarmarsud0822](#)

WELDING MACHINES

MIG/LIFT TIG/MMA INVERTER WELDING MACHINES



RURIS AS130FULL

Device type	MIG/LIFT TIG/MMA
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	MIG 3.2kVA, TIG 2.8kVA, MMA 2.8kVA
Idle voltage	56V
Welding current	MIG 50-130A, TIG 10-120A, MMA 10-120A
Operating mode	60%
Electrode diameter	1.6-3.2 mm
Welding wire diameter	0.8-1 mm
Insulation class	H
Protection class	IP21S
Weight	7 kg
Product code	as130f2022

INCLUDED

Welding Mask
Professional Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
2.5mm 2.5kg Rutile Electrodes
Welding gloves
Welding apron
MIG torch
RURIS flux 081 welding wire

RURIS AS200FULL

Device type	MIG/LIFT TIG/MMA
Power supply	230V
Frequency	50/60 Hz
Max. absorbed power	MIG 6.1kVA, TIG 3.6kVA, MMA 5.8kVA
Idle voltage	56V
Welding current	MIG 50-200A, TIG 10-170A, MMA 10-170A
Operating mode	60%
Electrode diameter	2.5-4 mm
Welding wire diameter	0.8-1 mm
Insulation class	H
Protection class	IP21S
Weight	15.8 kg
Product code	as200f2022

INCLUDED

Welding Mask
Professional Welding Mask
Wire Hammer/Brush
Grounding Pliers
Electrode Pliers
3.2mm 2.5kg Rutile Electrodes
Welding gloves
Welding apron
MIG torch
Magnetic Square
RURIS flux 081 welding wire

It is an easy-to-use welding machine, suitable for both hobby activities and semi-professional and professional use.

The RURIS AS200FULL inverter welding machine, with an amperage of 200Ah, is a compact and portable welding equipment, which can perform several types of welding: MIG / MAG, LIFT TIG, MMA.

• Multiple welding techniques MIG / MAG type welding

Ruris introduces the range of wire welding without the need for an auxiliary gas cylinder, so users do not have to buy specialized cylinders for wire welding.

Thus, the Ruris Flux wire can be used in the MIG / MAG welding process without the need to use a gas cylinder. Ruris FLUX wire provides easy transport on construction sites or in yards, farms where repairs are made with high quality welding.

When using shielding gases, several types of working gases can be used:

INERT gas is a gas that contains helium, argon and can weld non-ferrous materials. The weld is MIG type.

ACTIVE gas is a gas that contains mixtures of carbon dioxide and other gases, which can weld materials such as standard steel and high-alloy steels. The weld is of the MAG type.

The type of wire used for the RURIS AS200FULL Welding Machine has a diameter of 0.8-1 mm.

LIFT TIG welding

The RURIS AS200FULL inverter welding machine offers customers the opportunity to make high precision and quality welds in TIG mode, ie with special welding rods for this process.

This type of welding is used for fine welding where the highest welding quality and precision is desired, and Ruris machines successfully offer this option used by professionals.

A TIG torch and special rods must be purchased to use the RURIS AS200FULL Welding Machine.

MMA type welding

The RURIS AS200FULL welding machine is intended for MMA (coated electrode) welding for maintenance and repair work.

Ruris introduces the range of inverter-type MMA arc welding (for electrodes) with large amperage, which has the advantage over conventional transformer welding due to the fact that the device is ergonomic, easy to transport and can provide electronic amperage control (working current intensity).

LAWN MOWERS

RURIS lawn mowers are ideal for performing complex landscaping on medium or large surfaces and are equipped with robust and powerful engines.



DAC 100XL

Engine type	4 stroke
Engine power	2.5 HP
Engine displacement	79 cc
Start	Manual
Cutting height	25-55 mm
Ignition	Electronic/magneto
Movement	Pushing
Speed	1 forward
Deck material	Metal
Working width	400 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Oil bath capacity	0.4l
Avg. fuel consumption	1l/h
Front wheel diameter	6"
Back wheels diameter	6"
Grass bag	45 l
Weight	21.5 kg
Product code	100xl2019

2in1
FUNCTIONS

Collecting
Rear Discharge



DAC 110XL

Engine type	4 stroke
Engine power	2.5 HP
Engine displacement	79 cc
Start	Manual
Cutting height	25-65 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	400 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Oil bath capacity	0.4l
Avg. fuel consumption	1l/h
Front wheel diameter	6"
Back wheels diameter	8"
Grass bag	45 l
Weight	23.5 kg
Product code	110xl2019

2in1
FUNCTIONS

Collecting
Rear Discharge



DAC 120XL

Engine type	4 stroke
Engine power	4 HP
Engine displacement	161 cc
Start	Manual
Cutting height	25-65 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.3l
Oil bath capacity	0.6l
Avg. fuel consumption	1.3l/h
Front wheel diameter	7,5"
Back wheels diameter	10,5"
Grass bag	55 l
Weight	30 kg
Product code	120xl2019

4in1
FUNCTIONS

Collecting
Rear Discharge
Side Discharge
Mulching



Scan the QR code
to find out more about
RURIS lawn maintenance
products.



**GENERAL
ENGINE**



DAC 130XL

Engine type	4 stroke
Engine power	5 HP
Engine displacement	173 cc
Start	Manual
Cutting height	25-65 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	502 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.3l
Oil bath capacity	0.6l
Avg. fuel consumption	1.7l/h
Front wheel diameter	7,5"
Back wheels diameter	10,5"
Grass bag	55 l
Weight	35 kg
Product code	130xl2019

**5 in 1
FUNCTIONS**

Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing



**GENERAL
ENGINE**



DAC 150XL

Engine type	4 stroke
Engine power	5 HP
Engine displacement	173 cc
Start	Manual
Cutting height	25-65 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	502 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.3l
Oil bath capacity	0.6l
Avg. fuel consumption	1.7l/h
Front wheel diameter	7,5"
Back wheels diameter	10,5"
Grass bag	55 l
Weight	36 kg
Product code	150xl2019

**5 in 1
FUNCTIONS**

Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing

LAWN MOWERS FUNCTIONS





RURIS RX200s

Engine type	4 stroke
Engine power	2.7 HP
Engine displacement	99 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Pushing
Speed	1 forward
Deck material	Metal
Working width	420 mm
Fuel	Unleaded fuel
Fuel tank capacity	0.8l
Oil bath capacity	0.45l
Avg. fuel consumption	0.6l/h
Grass bag	45 l
Weight	22 kg
Product code	200s2019



Collecting
Rear Discharge
Mulching



RURIS RX221s

Engine type	4 stroke
Engine power	3.5 HP
Engine displacement	145 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Pushing
Speed	1 forward
Deck material	Metal
Working width	420 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	0.7l/h
Grass bag	45 l
Weight	25.3 kg
Product code	221s2019



Collecting
Rear Discharge
Mulching



RURIS RX300s

Engine type	4 stroke
Engine power	3.5 HP
Engine displacement	145 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	0.7l/h
Grass bag	65 l
Weight	35.3 kg
Product code	300s2019



Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing



**GENERAL
ENGINE**



RURIS RX311S

Engine type	4 stroke
Engine power	3.9 HP
Engine displacement	170 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	0.75l/h
Grass bag	65 l
Weight	29.5 kg
Product code	311s2022

**5 in 1
FUNCTIONS**

Collecting
Back Discharge
Side Discharge
Mulching
Self-washing



**GENERAL
ENGINE**



RURIS RX331S

Engine type	4 stroke
Engine power	3.5 HP
Engine displacement	145 cc
Start	Electric/Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	0.7l/h
Grass bag	65 l
Weight	38.3 kg
Product code	331s2019

**5 in 1
FUNCTIONS**

Collecting
Back Discharge
Side Discharge
Mulching
Self-washing



RURIS RX333S

Engine type	4 stroke
Engine power	3 HP
Engine displacement	140 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	0.8l
Oil bath capacity	0.47l
Avg. fuel consumption	0.65l/h
Grass bag	65 l
Weight	31.7 kg
Product code	333s2019

**5 in 1
FUNCTIONS**

Collecting
Back Discharge
Side Discharge
Mulching
Self-washing

**RURIS RX355S**

Engine type	4 stroke
Engine power	3.5 HP
Engine displacement	145 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	460 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	1.1l/h
Grass bag	65 l
Weight	33.8 kg
Product code	355s2022

5in1
FUNCTIONS

Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing

**RURIS RX400S**

Engine type	4 stroke
Engine power	5.7 HP
Engine displacement	196 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	Variable
Deck material	Metal
Working width	510 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.6l
Avg. fuel consumption	0.8l/h
Grass bag	65 l
Weight	38.3 kg
Product code	400sr19

5in1
FUNCTIONS

Collecting
Back Discharge
Side Discharge
Mulching
Self-washing

MULCHING
DOUBLECUTTING

SPEED
VARIATOR

**RURIS RX441S**

Engine type	4 stroke
Engine power	5.7 HP
Engine displacement	196 cc
Start	Electric/Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	Variable
Deck material	Metal
Working width	510 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.6l
Avg. fuel consumption	0.8l/h
Grass bag	65 l
Weight	39.3 kg
Product code	441s2019

5in1
FUNCTIONS

Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing


MULCHING
DOUBLECUTTING

ELECTRIC
START

SPEED
VARIATOR

**RURIS RXM777**

Engine type	4 stroke
Engine power	4.5 HP
Engine displacement	159 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	510 mm
Fuel	Unleaded fuel
Fuel tank capacity	1.3l
Oil bath capacity	0.55l
Avg. fuel consumption	0.8l/h
Grass bag	65 l
Weight	32.1 kg
Product code	777rxm2021



360° movement

4in1
FUNCTIONS

Collecting
Rear Discharge
Side Discharge
Mulching

**HONDA****RURIS RX444S**

Engine type	4 stroke
Engine power	4.6 HP
Engine displacement	166 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	510 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.6l
Avg. fuel consumption	0.7l/h
Grass bag	65 l
Weight	38 kg
Product code	444srx19

**5 in 1
FUNCTIONS**Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing**GENERAL
ENGINE****RURIS RX500S**

Engine type	4 stroke
Engine power	5.7 HP
Engine displacement	196 cc
Start	Electric/Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	Variable
Deck material	Metal
Working width	530 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.6l
Avg. fuel consumption	0.8l/h
Grass bag	65 l
Weight	38.3 kg
Product code	500srx19

**5 in 1
FUNCTIONS**Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing

**SPEED
VARIATOR**
**HONDA****RURIS RX555S**

Engine type	4 stroke
Engine power	5.2 HP
Engine displacement	202 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	530 mm
Fuel	Unleaded fuel
Fuel tank capacity	0.9l
Oil bath capacity	0.55l
Avg. fuel consumption	1.4l/h
Grass bag	65 l
Weight	36.3 kg
Product code	555s2022

**5 in 1
FUNCTIONS**Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing**GENERAL
ENGINE****RURIS RXM1000**

Engine type	4 stroke
Engine power	3.9 HP
Engine displacement	170 cc
Start	Manual
Cutting height	25-75 mm
Ignition	Electronic/magneto
Movement	Self-propulsion
Speed	1 forward
Deck material	Metal
Working width	510 mm
Fuel	Unleaded fuel
Fuel tank capacity	1l
Oil bath capacity	0.5l
Avg. fuel consumption	0.75l/h
Grass bag	65 l
Weight	34.7 kg
Product code	1000rxm2022

**360° movement****5 in 1
FUNCTIONS**Collecting
Rear Discharge
Side Discharge
Mulching
Self-washing



RURIS SF7A106

Cutting height	25/45/60 mm
Engine speed	3300 rpm
Power	1200W
Voltage	230/240V – 50 Hz
Weight	11.5 kg
Product code	7062016



RURIS RXi3000

Engine type	Electric
Battery type	36V (2x18V 2Ah)
Cutting height	25-75 mm
Working width	340 mm
Working time	25 minutes
Battery charging time	60 minutes
Grass bag	30l
Wheels dimensions (F)	140 mm
Wheels dimensions (B)	160 mm
Deck material	Plastic
Product code	3000rxii9

LAWN SCARIFIERS

The RURIS Scarifiers / Aerators are built for perfect lawn maintenance and regular aeration during the year. While RURIS lawn mowers are used for the frequent cutting, the lawn scarifiers/aerators cure the lawn periodically, providing continuity and health to the soil and roots of the lawn.

The RURIS scarifiers / aerators have two built-in functions, which allow the user to choose how to oxygenate the soil as well as how to remove roots, small-diameter grass scraps that stop the growth of the lawn and maintain it.




RURIS RXE888

Engine type	Electric
Engine power	1500W
Cutting height	4 positions (-12/-8/-4/+4)
Working width	320 mm
Deck material	Plastic
Voltage	230V-50Hz
Grass bag	30l
Wheels dimensions (F)	180 mm
Wheels dimensions (B)	100 mm
Weight	9.3 kg
Product code	888rxex20

2in1 FUNCTIONS



Drum with
aerating blades



Drum with
collector springs



GENERAL
ENGINE


RURIS RXH999

Engine type	4 stroke
Engine power	5.3 HP
Engine displacement	212 cc
Start	Manual
Movement	Manual
Speed	1 forward
Deck material	Metal
Working width	400 mm
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Oil bath capacity	0.6l
Avg. fuel consumption	1.1l/h
Grass bag	45 l
Weight	38.4 kg
Product code	sg20rxh999

2in1 FUNCTIONS



Drum with
aerating blades



Drum with
collector springs

ELECTRIC TRIMMERS

The RURIS electric trimmer is simple, easy to use and suitable for all landscaping finesse arrangements. The electric trimmer can trim the grass around shrubs or the grass around borders.



RURIS TE250S

Voltage	230-240V / 50Hz
Power	250W
Rotation speed	14000 rpm
Cutting radius	220 mm
Diameter	1,0 mm
Cutting cable lenght	6 m
Weight	1,2 kg
Product code	250s2020



RURIS TE400

Voltage	230-240V / 50Hz
Power	400W
Rotation speed	14000 rpm
Cutting radius	220 mm
Diameter	1,0 mm
Cutting cable lenght	6 m
Weight	1,2 kg
Product code	40012016



RURIS TE500 PIVOT

Voltage	230-240V / 50Hz
Power	500W
Rotation speed	14000 rpm
Cutting radius	300 mm
Diameter	1,0 mm
Cutting cable lenght	6 m
Weight	1,2 kg
Product code	50023217

MULTI FUNCTIONS SHEARS



RURIS F455

Engine	Electric
Battery type	Li-ion 1.5Ah
DC Voltage	10/8V
Cutting speed (rpm)	4500
Cutting width	100mm
Battery charging time	4h
Work time	80 minutes
Weight	16.5 kg
Product code	455f2021



RURIS F555

Engine	TEZ
Engine power	1 HP
Engine type	2 stroke
Blade lenght	750 mm
Fuel	Unleaded fuel/oil
Avg. fuel consumption	0.9 l/h
Weight	6 kg
Product code	17F555

HEDGE TRIMMER

PRESSURE WASHERS

RURIS pressure washers help you save time, electricity and water in cleaning the house, vehicle or household. Such a pressure washer is an opportune investment for anyone who values free time, while protecting the environment.



RURIS
CleanPowerJet 1100

Engine power	1400W
Nominal / maximum pressure	80 Bar/110 Bar
Nominal / maximum flow	5.5L/min / 6.5L/min
Water max. temperature	40°
Power cord length	5m
Hose length	6m
Weight	5.6 kg
Product code	1100qr21

INCLUDED

Spraying gun
Foaming device
Adjustable spray nozzles
Turbo Jet Lance



RURIS
CleanPowerJet 1300

Engine power	1600W
Nominal / maximum pressure	90 Bar/130 Bar
Nominal / maximum flow	6L/min / 7L/min
Water max. temperature	40°
Power cord length	5m
Hose length	6m
Weight	6 kg
Product code	1300qr21

INCLUDED

Spraying gun
Foaming device
Adjustable spray nozzles
Extender with angled nozzle
Turbo Jet Lance
Brush



RURIS
CleanPowerJet 1500

Engine power	2000W
Nominal / maximum pressure	110 Bar/160 Bar
Nominal / maximum flow	6.5L/min / 7.5L/min
Water max. temperature	40°
Power cord length	5m
Hose length	6m
Weight	8.6 kg
Product code	1500qr21

INCLUDED

Spraying gun
Spraying nozzle
Extender with angled nozzle
Turbo Jet Lance
Brush





RURIS **CleanPowerJet 1700**

Engine power	2200W
Nominal / maximum pressure	120 Bar/170 Bar
Nominal / maximum flow	6.5L/min / 7.5L/min
Water max. temperature	40°
Power cord length	5m
Hose length	6m
Weight	9 kg
Product code	1700qr21

INCLUDED

- Spraying gun
- Multijet nozzle with adapter
- Metallic lance
- Rotating brush
- Turbo Jet Lance
- Brush



RURIS **ProPowerJet 1900**

Engine power	2500W
Nominal / maximum pressure	130 Bar/160 Bar
Nominal / maximum flow	7L/min / 7.8L/min
Water max. temperature	40°
Power cord length	5m
Hose length	6m
Weight	21 kg
Product code	1900qr21

INCLUDED

- Spraying gun
- Multijet nozzle with adapter
- Metallic lance
- Rotating brush
- Floor cleaner
- Brush



Scan the QR code
to find out more about
RURIS pressure washers.

SNOW BLOWERS

The *RURIS* snow blowers are designed for easy and quick cleaning of the yard aisles and access roads towards the house.

LONCIN
WINTER ENGINES



RURIS
Parâng 604

Engine	Zongshen
Engine type	4 stroke
Engine power	5.5 HP
Engine displacement	163 cc
Engine oil capacity	0.6l
Transmission	friction plate clutch
Ignition system	Electronic
Start-up	Manual
Heated handles	-
Headlight	-
Fuel	Unleaded fuel
Fuel tank capacity	3.6l
Avg. fuel consumption	1l/h
Gear shifting	4 forward + 1 reverse
Discharge distance	11m
Discharge chute control	manual
Working width	53 cm
Working depth	51 cm
Discharge chute rotation angle	190°
Weight	47 kg
Product code	2017604



RURIS
Himalaya 602

Engine	Loncin Winter Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Engine oil capacity	0.6l
Transmission	sprockets
Ignition system	Electronic
Start-up	Electric
Heated handles	Standard
Headlight	LED
Fuel	Unleaded fuel
Fuel tank capacity	2.2l
Avg. fuel consumption	1.7l
Gear shifting	6 forward + 2 reverse
Discharge distance	11m
Discharge chute control	control panel
Working width	66 cm
Working depth	54 cm
Discharge chute rotation angle	190°
Weight	88 kg
Product code	2014602



**AUTOMATIC
KEY IGNITION**

LONCIN
WINTER ENGINES



RURIS
Everest 603

Engine	Loncin Winter Engine
Engine type	4 stroke
Engine power	9 HP
Engine displacement	252 cc
Engine oil capacity	0.6 ml
Transmission	Diferential, friction plate clutch
Ignition system	Electronic
Start-up	Electric
Heated handles	Standard
Headlight	LED
Fuel	Unleaded fuel
Fuel tank capacity	3.5l
Avg. fuel consumption	2.3l
Gear shifting	6 forward + 2 reverse
Discharge distance	15m
Discharge chute control	control panel
Working width	76 cm
Working depth	54 cm
Discharge chute rotation angle	190°
Weight	115 kg
Product code	2014603



**AUTOMATIC
KEY IGNITION**



Scan the QR code
to find out more about
RURIS snow blowers.



LONCIN



RURIS
Parâng 704

Engine	Loncin Winter Engine
Engine type	4 stroke
Engine power	7 HP
Engine displacement	212 cc
Engine oil capacity	0.6l
Transmission	friction plate clutch
Ignition system	Electronic
Start-up	Electric push key
Heated handles	Standard
Headlight	LED
Fuel	Unleaded fuel
Fuel tank capacity	2.2l
Avg. fuel consumption	1l/h
Gear shifting	6 forward + 2 reverse
Discharge distance	11m
Discharge chute control	manual
Working width	66 cm
Working depth	51 cm
Discharge chute rotation angle	190°
Weight	75 kg
Product code	70412018



LONCIN



RURIS
Everest 804

Engine	Loncin
Engine type	4 stroke
Engine power	8.5 HP
Engine displacement	302 cc
Engine oil capacity	0.95l
Transmission	Differential, friction plate clutch
Ignition system	Electronic
Start-up	Electric push key
Heated handles	Standard
Headlight	LED
Fuel	Unleaded fuel
Fuel tank capacity	4.6l
Avg. fuel consumption	2l
Gear shifting	6 forward + 2 reverse
Discharge distance	15m
Discharge chute control	control panel
Working width	76 cm
Working depth	54 cm
Discharge chute rotation angle	190°
Weight	131 kg
Product code	80412018



LONCIN



RURIS
Everest 1009

Engine	Loncin
Engine type	4 stroke
Engine power	12.5 HP
Engine displacement	420 cc
Engine oil capacity	1.1 l
Transmission	Differential, friction plate clutch
Ignition system	Electronic
Start-up	Electric push key
Heated handles	Standard
Headlight	LED
Fuel	Unleaded fuel
Fuel tank capacity	6l
Avg. fuel consumption	3l/h
Gear shifting	6 forward + 2 reverse
Discharge distance	15m
Discharge chute control	control panel
Working width	54 cm
Working depth	190°
Discharge chute rotation angle	Max. 70°
Weight	135 kg
Product code	100912018



POWER GENERATORS



RURIS GE1000

Max. Generator power	1100 W
Working frequency	50 Hz
Number of sockets	1
Output voltage AC	220 V
Engine power	3 HP
Engine displacement	130 cc
Engine type	4 stroke
Ignition	Electronic
Start	Manual
Fuel	Unleaded fuel
Fuel tank capacity	6 L
Avg. fuel consumption	0.33 L/Kw/h
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Weight	27 kg
Warranty	24 months
Product code	1000ge2018



**NEW
2023**

RURIS GE2800

Max. Generator power	2800 W
Working frequency	50 Hz
Number of sockets	2
Output voltage AC/DC	220 V
Engine power	7 HP
Engine displacement	212 cc
Engine type	4 stroke
Ignition	Electronic
Start	Manual
Fuel	Unleaded fuel
Fuel tank capacity	15 L
Avg. fuel consumption	<374 (grams/Kw/h)
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Weight	43 kg
Warranty	24 months
Product code	2800ge2023



**NEW
2023**

RURIS GE5500

Max. Generator power	5500 W
Working frequency	50 Hz
Number of sockets	2
Output voltage AC/DC	220 V
Engine power	13 HP
Engine displacement	420 cc
Engine type	4 stroke
Ignition	Electronic
Start	Manual
Fuel	Unleaded fuel
Fuel tank capacity	25 L
Avg. fuel consumption	<370 grams/Kw/h
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Weight	74 kg
Warranty	24 months
Product code	5500ge2023





RURIS GE7000

Max. Generator power	6500 W
Working frequency	50 Hz
Number of sockets	2
Output voltage AC	220 V
Output voltage DC	12V
Engine power	13 HP
Engine displacement	420 cc
Engine type	4 stroke
Ignition	Electronic
Start	Manual
Fuel	Unleaded fuel
Fuel tank capacity	28 L
Avg. fuel consumption	0.429 L/Kw/h
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Number of wheels	2
Weight	77 kg
Warranty	24 months
Product code	7000ge2022



RURIS GE8000

Max. Generator power	7500 W
Working frequency	50 Hz
Number of sockets	1-220 V / 1-400 V
Output voltage AC	230 / 400 V - 3 phase
Output voltage DC	12 V / 8.3 A
Engine power	14 HP
Engine displacement	459 cc
Engine type	4 stroke
Ignition	Electronic
Start	Electric with battery
Fuel	Unleaded fuel
Fuel tank capacity	28 L
Avg. fuel consumption	0.472 L/Kw/h
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Number of wheels	2
Weight	88 kg
Warranty	24 months
Product code	8000ge2022



RURIS GE9000ATS

Max. Generator power	7500 W
Working frequency	50 Hz
Number of sockets	2
Output voltage AC	220 V
Engine power	15 HP
Engine displacement	445 cc
Engine type	4 stroke
Ignition	Electronic
Start	Electric with battery
Fuel	Unleaded fuel
Fuel tank capacity	25 L
Avg. fuel consumption	<370 grams/Kw/h
Analogue voltmeter	Standard
Fuse	Standard
Frame type	Industrial
Number of wheels	2
ATS System	Yes
Weight	80 kg
Warranty	24 months
Product code	9000ge2023

AIR COMPRESSORS



2 OUTPUTS WITH PRESSURE GAUGE



RURIS **AirPower 2400**

Engine power	1500W
Tank volume	24l
Maximum air flow	180 l/min
Maximum pressure	8 bar
Air pipe type	Copper
Weight	22 kg
Product code	24002021

2 OUTPUTS WITH PRESSURE GAUGE



RURIS **AirPower 5000**

Engine power	1500W
Tank volume	50l
Maximum air flow	180 l/min
Maximum pressure	8 bar
Air pipe type	Copper
Weight	30 kg
Product code	50002021

2 OUTPUTS WITH PRESSURE GAUGE



RURIS **AirPower 2400PLUS**

Engine power	1500W
Tank volume	24l
Maximum air flow	180 l/min
Maximum pressure	8 bar
Air pipe type	Copper
Weight	22 kg
Product code	2400plus21

INCLUDED

Suction gun
Tire inflator
Spraying gun
Cleaning gun
Spiral hose



2 OUTPUTS WITH PRESSURE GAUGE



RURIS **AirPower 5000PLUS**

Engine power	1500W
Tank volume	50l
Maximum air flow	180 l/min
Maximum pressure	8 bar
Air pipe type	Copper
Weight	30 kg
Product code	5000plus21

INCLUDED

Suction gun
Tire inflator
Spraying gun
Cleaning gun
Spiral hose



HEATERS



ELECTRIC



RURIS
Vulcano 200S

Power	2 kW
Airflow	139 mc/h
3-step heating power	25/1000/2000 W
Heating surface	20sqm
Power supply	220-240V ~ 50 Hz
Dimensions	210x130x260 mm
Weight	1.4 kg
Product code	BCP2001-20



ELECTRIC



RURIS
Vulcano 300S

Power	3 kW
Airflow	322 mc/h
3-step heating power	6/2000/3000 W
Heating surface	30sqm
Power supply	220-240V ~ 50 Hz
Dimensions	234x130x284 mm
Weight	1.46 kg
Product code	BCP2001-30



GAS



RURIS
Vulcano 881

Power	10 kW
Airflow	580 mc/h
Btu	34.120
Pressure	0.7 bar
Fuel consumption	0.73 kg/h
Power supply	220-240V ~ 50 Hz
Dimensions	380x190x305 mm
Weight	3.7 kg
Product code	bga1401-10-18



ELECTRIC



RURIS
Vulcano 500

Power	5 kW
Airflow	411 mc/h
3-step heating power	30/2500/5000 W
Heating surface	48 sqm
Power supply	380-400V ~ 50 Hz
Dimensions	315x330x400 mm
Weight	7.7 kg
Product code	bg-c5/3



ELECTRIC



RURIS
Vulcano 900

Power	9 kW
Airflow	742 mc/h
3-step heating power	52/4500/9000 W
Heating surface	180 sqm
Power supply	380-400V ~ 50 Hz
Dimensions	350x405x460 mm
Weight	11.9 kg
Product code	bg-c9/3



GAS



RURIS
Vulcano 882

Power	15 kW
Airflow	580 mc/h
Btu	51.180
Pressure	0.7 bar
Fuel consumption	1.09 kg/h
Power supply	220-240V ~ 50 Hz
Dimensions	380x190x305 mm
Weight	3.7 kg
Product code	bga1401-15-18

The *Ruris* direct forced-air diesel heater is the perfect product for heating production areas or industrial premises with high efficiency and a high volume of heated air.



GAS



RURIS **Vulcano 883**

Power	30 kW
Airflow	1000 mc/h
Btu	102.360
Pressure	0.7 bar
Fuel consumption	2.18 kg/h
Power supply	220-240V ~ 50 Hz
Dimensions	475x225x360 mm
Weight	5.8 kg
Product code	bga1401-30-18



GAS



RURIS **Vulcano 884**

Power	50 kW
Airflow	1000 mc/h
Btu	170.600
Pressure	1.5 bar
Fuel consumption	3.63 Kg/h
Power supply	220-240V ~ 50 Hz
Dimensions	580x225x360 mm
Weight	7.7 kg
Product code	bga1401-50-18

DIESEL



RURIS **Vulcano 2000**

Power	20 kW
Airflow	550 mc/h
Btu	68.240
Fuel consumption	1.9 l/h
Tank capacity	12 l
Power supply	220-240V ~ 50 Hz
Dimensions	660x260x380 mm
Weight	10 kg
Product code	bgo1401-20

DIESEL



RURIS **Vulcano 5000s**

Power	50 kW
Airflow	1100 mc/h
Btu	170.607
Fuel consumption	4 l/h
Tank capacity	50 l
Power supply	220-240V ~ 50 Hz
Dimensions	1090x490x585 mm
Weight	27.8 kg
Product code	bgo1601-50 plus

DIESEL



RURIS **Vulcano 8000**

Power	20kW
Airflow	600 mc/h
Btu	68.240
Fuel consumption	2 l/h
Tank capacity	24 l
Power supply	220-240V ~ 50 Hz
Dimensions	840x450x695 mm
Weight	24 kg
Product code	bgo-20c



Scan the QR code
to find out more about
RURIS heaters.

MILLS

RURIS mills and corn thresher machines for grains and grass are ideal for any household, grinding and chopping different types of grain and grass.



RURIS
Gospodar A1

Engine power	2.7 kW
Engine input	220V
Engine speed	2850 rpm
Engine switch	Standard
Transmission	direct
Number of sieves	4 2-5mm
Number of knives	20
Grinding capacity	180 kg/h (max.)
Grip type	On bench
Ruris backflow system	Standard
Flow regulation	Standard
Domain use	Corn, wheat, barley
Weight	19 kg
Product code	mec2014

INCLUDED Collector bag



**DISCHARGE
PROTECTION**

RURIS
INNOVATION



RURIS
Gospodar A2

Engine power	2.2 kW
Engine input	220V
Engine speed	3000 rpm
Engine switch	Standard
Transmission	belt
Number of sieves	2 3-5mm
Number of knives	16
Grinding capacity	250 kg/h (max.)
Grip type	On bench
Ruris backflow system	Standard
Flow regulation	Standard
Domain use	Corn, wheat, barley, alfalfa, grass
Weight	40 kg
Product code	mcg2014



RURIS
Gospodar A4R

Engine power	900W
Engine input	220V
Engine speed	1860 rpm
Grinding capacity	1800 kg/h
Domain use	Corn clearing
Product code	mtba42019



RURIS
Gospodar A11

Engine power	3 kW
Engine input	220V
Engine speed	1100 rpm
Engine switch	Standard
Number of sieves	3 (3, 5, 8 mm)
Grinding capacity	1200 kg/h
Domain use	Corn, wheat, barley, alfalfa, grass, straw
Weight	70 kg
Product code	mga112019



HYDROPHORES



RURIS
AquaPower 1008S

Power consumption	750W
Max absorption height	9 m
Max discharge distance	45 m
Tank volume	19 l
Flow	46 l/min
Connecting tube type	42 cm
Bronze valve	5 ways
Product code	1008s2021



RURIS
AquaPower 2010S

Power consumption	900W
Max absorption height	9 m
Max discharge distance	50 m
Tank volume	24 l
Flow	52 l/min
Connecting tube type	50 cm
Bronze valve	3 ways
Product code	2010s2021

The **RURIS AquaPower** hydrophore is used for water supply systems, garden irrigation, pool filling / emptying or increasing the pressure in the drinking water supply network.



RURIS
AquaPower 2011S

Power consumption	1100W
Max absorption height	9 m
Max discharge distance	55 m
Tank volume	50 l
Flow	58 l/min
Connecting tube type	55 cm
Bronze valve	3 ways
Product code	2011s2021



RURIS
AquaPower 3009S

Power consumption	1500W
Max absorption height	9 m
Max discharge distance	60 m
Tank volume	24 l
Flow	55 l/min
Connecting tube type	50 cm
Bronze valve	5 ways
Product code	3009s2021





RURIS **AquaPower 4010s**

Power consumption	1800W
Max absorption height	9 m
Max discharge distance	70 m
Tank volume	24 l
Flow	60 l/min
Connecting tube type	55 cm
Bronze valve	5 ways
Product code	4010s2021



RURIS **AquaPower 5010s**

Power consumption	2200W
Max absorption height	9 m
Max discharge distance	70 m
Tank volume	50 l
Flow	60 l/min
Connecting tube type	60 cm
Bronze valve	5 ways
Product code	5010s2021



RURIS **AquaPower 6009s**

Power consumption	880W
Max absorption height	9 m
Max discharge distance	45 m
Tank volume	24 l
Flow	46 l/min
Connecting tube type	50 cm
Bronze valve	5 ways
Product code	6009s2021



RURIS **AquaPower 8009s**

Power consumption	1100W
Max absorption height	25 m
Max discharge distance	55 m
Tank volume	50 l
Flow	30 l/min
Connecting tube type	50 cm
Bronze valve	5 ways
Product code	8009s2021



Scan the QR code
to find out more about
RURIS hydrophores.

DEEP WELL PUMPS

The *RURIS* deep well pump has as a field of application the pumping of clean water and non abrasive particles from a well, fountain or buffer tank in various applications for domestic use, water supply of households.



RURIS Aqua 8

Power consumption	400W
Maximum discharge (H)	7 m
Maximum submerge	-
Flow	7m³/h
Stages	1
Protection class	IPX8
Max. temperature	35° C
Water type	Clean
Particle max. size	0,05 mm
Startups/hour	30
Discharge diameter	1 inch/1.25 inches
Exterior pump diameter	-
Pump height	28cm
Housing material	Plastic
Impeller material	PPO
Engine coolant	Natural-water
Cable lenght	10m
Winding	Aluminum
Control panel	No
Float	Yes
Voltage	230V/50Hz
Weight	3.6 kg
Product code	fspxx8c



RURIS Aqua 9

Power consumption	750W
Maximum discharge (H)	8 m
Maximum submerge	-
Flow	12.5m³/h
Stages	1
Protection class	IPX8
Max. temperature	35° C
Water type	Dirty
Particle max. size	3,5 mm
Startups/hour	30
Discharge diameter	1 inch/1.25 inches
Exterior pump diameter	-
Pump height	29cm
Housing material	Plastic
Impeller material	Plastic
Engine coolant	Natural-water
Cable lenght	10m
Winding	Aluminum
Control panel	No
Float	Yes
Voltage	230V/50Hz
Weight	4.4 kg
Product code	fspxx8dw



RURIS Aqua 115

Power consumption	550W
Maximum discharge (H)	25 m
Maximum submerge	-
Flow	3.6m³/h
Stages	1
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	-
Pump height	40cm
Housing material	Aluminum
Impeller material	Aluminum
Engine coolant	Natural-water
Cable lenght	15m
Winding	Aluminum
Control panel	No
Float	Yes
Voltage	230V/50Hz
Weight	9 kg
Product code	qdx1.5-25-0.55



STAINLESS STEEL HOUSING



RURIS Aqua 30

Power consumption	550W
Maximum discharge (H)	7.5 m
Maximum submerge	-
Flow	8.5m³/h
Stages	1
Protection class	IPX8
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch/1.25 inches
Exterior pump diameter	-
Pump height	28cm
Housing material	Stainless Steel
Impeller material	-
Engine coolant	Natural-water
Cable lenght	10m
Winding	100% Copper
Control panel	No
Float	Yes
Voltage	230V/50Hz
Weight	4.4 kg
Product code	qds550d



STAINLESS STEEL HOUSING



RURIS Aqua 35

Power consumption	1300W
Maximum discharge (H)	12 m
Maximum submerge	-
Flow	18m³/h
Stages	1
Protection class	IP55
Max. temperature	35° C
Water type	Dirty
Particle max. size	3.5 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	-
Pump height	46cm
Housing material	Stainless Steel
Impeller material	Cast iron
Engine coolant	Natural-water
Cable lenght	10m
Winding	100% Copper
Control panel	No
Float	Yes
Voltage	230V/50Hz
Weight	19.5 kg
Product code	wq1300d(f)-1



STAINLESS STEEL HOUSING



RURIS Aqua 40

Power consumption	750W
Maximum discharge (H)	100 m
Maximum submerge	15m
Flow	1.8m³/h
Stages	screw type
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	4 inches
Pump height	59cm
Housing material	Stainless Steel
Impeller material	-
Engine coolant	Oil
Cable lenght	15m
Winding	100% Copper
Control panel	No
Float	No
Voltage	230V/50Hz
Weight	12.4 kg
Product code	4qgd1.8-100-0.75



RURIS Aqua 101

Power consumption	750W
Maximum discharge (H)	60 m
Maximum submerge	15 m
Flow	2.4m³/h
Stages	1
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	4 inches
Pump height	44cm
Housing material	Stainless Steel
Impeller material	Brass
Engine coolant	Oil
Cable lenght	15m
Winding	100% Copper
Control panel	Yes
Float	No
Voltage	230V/50Hz
Weight	12.9 kg
Product code	4skm100



RURIS Aqua 104

Power consumption	1100W
Maximum discharge (H)	100 m
Maximum submerge	15 m
Flow	1.8m³/h
Stages	screw type
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1.25 inches
Exterior pump diameter	4 inches
Pump height	85cm
Housing material	Stainless Steel
Impeller material	-
Engine coolant	Oil
Cable lenght	30m
Winding	100% Copper
Control panel	Yes
Float	No
Voltage	230V/50Hz
Weight	13.7 kg
Product code	4qgda1.0-160-1.1



RURIS Aqua 105

Power consumption	1500W
Maximum discharge (H)	140 m
Maximum submerge	15 m
Flow	2.6m³/h
Stages	3
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	4 inches
Pump height	53cm
Housing material	Stainless Steel
Impeller material	Bronze
Engine coolant	Oil
Cable lenght	30m
Winding	100% Copper
Control panel	Yes
Float	No
Voltage	230V/50Hz
Weight	18.8 kg
Product code	4skm200



RURIS Aqua 890

Power consumption	750W	Pump height	47.5cm
Maximum discharge (H)	79 m	Housing material	Stainless Steel
Maximum submerge	10 m	Impeller material	Bronze
Flow	4m³/h	Engine coolant	Oil
Stages	10	Cable lenght	15m
Protection class	IP68	Winding	100% Copper
Max. temperature	35° C	Control panel	Yes
Water type	Clean	Float	No
Particle max. size	0.05 mm	Voltage	230V/50Hz
Startups/hour	30	Weight	12.9 kg
Discharge diameter	1.25 inches	Product code	900jd216-0.75
Exterior pump diameter	4 inches		



**STAINLESS STEEL
HOUSING**
**CONTROL
PANEL**



RURIS Aqua 690

Power consumption	370W
Maximum discharge (H)	60 m
Maximum submerge	15
Flow	3m³/h
Stages	14
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1 inch
Exterior pump diameter	3 inches
Pump height	87cm
Housing material	Stainless Steel
Impeller material	PPO (techno-polymer)
Engine coolant	Oil
Cable lenght	25m
Winding	100% Copper
Control panel	Yes
Float	No
Voltage	230V/50Hz
Weight	11.7 kg
Product code	3stm3-14



**STAINLESS STEEL
HOUSING**
**CONTROL
PANEL**



RURIS Aqua 790

Power consumption	550W
Maximum discharge (H)	60 m
Maximum submerge	15
Flow	3m³/h
Stages	8
Protection class	IP68
Max. temperature	35° C
Water type	Clean
Particle max. size	0.05 mm
Startups/hour	30
Discharge diameter	1.25 inches
Exterior pump diameter	4 inches
Pump height	77cm
Housing material	Stainless Steel
Impeller material	PPO (techno-polymer)
Engine coolant	Oil
Cable lenght	25m
Winding	100% Copper
Control panel	Yes
Float	No
Voltage	230V/50Hz
Weight	13.8 kg
Product code	4stm2-8



**Scan the QR code
to find out more about
RURIS deep well pumps.**



**STAINLESS STEEL
HOUSING**
**CONTROL
PANEL**
**SANDY WATER
IMPELLERS**



RURIS Aqua 1090

Power consumption	1100W	Pump height	60cm
Maximum discharge (H)	100 m	Housing material	Stainless Steel
Maximum submerge	10 m	Impeller material	Bronze
Flow	4m³/h	Engine coolant	Oil
Stages	15	Cable lenght	15m
Protection class	IP68	Winding	100% Copper
Max. temperature	35° C	Control panel	Yes
Water type	Clean	Float	No
Particle max. size	0.05 mm	Voltage	230V/50Hz
Startups/hour	30	Weight	12.9 kg
Discharge diameter	1.25 inch	Product code	10902021
Exterior pump diameter	4 inches		

MILKERS

Mobile milking machines make work easier for the owner of cows, sheep, goats, and ensure maximum milk hygiene, which will be reflected in the quality of the milk. Milking machines are ideal for small farmers with livestock up to 10 heads. The aggregates are equipped with milking machines (stations) and milk storage tanks.



RURIS
Făgăraș Lact 601

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	1
Canister capacity	30 l
Canister type	Aluminum
Vacuum type	In protected electrostatic cylinder
Vacuum tank capacity	4 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	47 kg
Product code	lact60115

INCLUDED

Cleaning brushes



RURIS
Făgăraș Lact 602

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	1
Canister capacity	30 l
Canister type	Stainless steel
Vacuum type	In protected electrostatic cylinder
Vacuum tank capacity	4 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	47 kg
Product code	lact60215

INCLUDED

Cleaning brushes



RURIS
Făgăraș Lact 701

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	1
Canister capacity	30 l
Canister type	Aluminum
Vacuum type	In single tank
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	54 kg
Product code	lact70115

INCLUDED

Cleaning brushes





RURIS **Făgăraș Lact 702**

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	1
Canister capacity	30 l
Canister type	Stainless steel
Vacuum type	In single tank
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	54 kg
Product code	lact70215

INCLUDED Cleaning brushes



RURIS **Făgăraș Lact 801**

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	2
Canister capacity	40 l
Canister type	Aluminum
Vacuum type	In single tank
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	2x200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	57 kg
Product code	lact80115

INCLUDED Cleaning brushes



RURIS **Făgăraș Lact 802**

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	2
Canister capacity	40 l
Canister type	Stainless steel
Vacuum type	In single tank
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	2x200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	57 kg
Product code	lact80215

INCLUDED Cleaning brushes





RURIS **Făgăraș Lact 901**

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	2
Canister capacity	2x30 l
Canister type	Aluminum
Vacuum type	In protected electrostatic cylinder
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	2x200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	60 kg
Product code	lact90115

INCLUDED

Cleaning brushes



RURIS **Făgăraș Lact 902**

Engine power	550 W
Voltage/Frequency	220V/50 hZ
Engine speed	1450 rpm
Vacuum pump capacity	200 l/min
Number of posts	2
Canister capacity	2x30 l
Canister type	Stainless steel
Vacuum type	In protected electrostatic cylinder
Vacuum tank capacity	18 l
Vacuum pump	Metal housing
Impellers	Graphite
Collecting case capacity on one pull	2x200cc
Pulsator	Standard
Sleeves pressure control	Upon exhaustion of milk
Transport wheels	Standard
Weight	60 kg
Product code	lact90215

INCLUDED

Cleaning brushes



Scan the QR code
to find out more about
RURIS milking equipment.

EARTH AUGERS



RURIS TT10

Engine	TEZ, 1.7 HP
Engine type	2 stroke
Engine displacement	43 cc
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Driller lenght	800 mm
Drillers diameter	100 mm, 150 mm
Weight	10.5 kg
Product code	10102017

INCLUDED 100 and 150 mm drillers



RURIS TT12

Engine	TEZ, 2.3 HP
Engine type	2 stroke
Engine displacement	51.7 cc
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Driller lenght	800 mm
Drillers diameter	150 mm, 200 mm
Weight	10.5 kg
Product code	12122017

INCLUDED 150 and 200 mm drillers



RURIS TT14

Engine	TEZ, 3 HP
Engine type	2 stroke
Engine displacement	68 cc
Fuel	Unleaded fuel
Fuel tank capacity	1.2l
Driller lenght	800 mm
Drillers diameter	150, 200, 300 mm
Weight	18.9 kg
Product code	14142019

INCLUDED 150, 200 and 250 mm drillers



LEAF BLOWER



RURIS A7

Engine	TEZ, 1 HP
Engine type	2 stroke
Engine displacement	26cc
Fuel	25 ml oil/ 1l gasoline
Fuel tank capacity	0.5l
Speed	7200 rpm
Propeller	Shredding knives
Air volume	11,4 m³/min
Weight	4.5 kg
Product code	7012016

**2in1
FUNCTIONS**

Vacuum / Shredding /
Blowing



	Code	Description
	PS-309, 400, 409	Ruris Profesional uni-versal Trimmer Head
	PS 309-1-40	Ruris 3 teeth blade for cutting grass
	PS309-1-40/h	Ruris 3 teeth blade for cutting thickets
	PS 400-1-40	Ruris 4 teeth blade for cutting grass
	PS 409S-1-40	Ruris 8 teeth blade for cutting grass
	PS410C-1-40B	Ruris 40 teeth blade for cutting grass
	PS 410C-1-40A	Ruris 80 teeth blade for cutting grass
	PS310-1-80V1	Ruris 80 teeth blade with Vidia type 1 for cutting grass

	Code	Description
	6-634	Ruris Trimmer line spool 2.0 mm {round} 365m
	6-624	Ruris Trimmer line spool 2.4 mm {round} 225m
	6-624r	Ruris Trimmer line spool 2.4 mm {round} 260m
	6-625	Ruris Trimmer line spool 2.4 mm {square} 150m
	6-625p	Ruris Trimmer line spool 2.4 mm {square} 225m
	6-630	Ruris Trimmer line spool 2.4 mm {spiral} 370m
	6-626r	Ruris Trimmer line spool 3 mm {round} 170m
	6-626	Ruris Trimmer line spool 3 mm {round} 200m
	6-627	Ruris Trimmer line spool 3 mm {square} 130m
	6-627p	Ruris Trimmer line spool 3 mm {square} 140m
	6-631	Ruris Trimmer line spool 3 mm {spiral} 240m
	6-633	Ruris Trimmer line spool 3 mm {aluminum} 105m
	6-632	Ruris Trimmer line spool 3.5 mm {spiral} 175m

	Code	Description
	6-172	Ruris Trimmer line 1.3mm {round} 15m
	6-173	Ruris Trimmer line 1.6mm {round} 15m
	6-174	Ruris Trimmer line 2.0mm {round} 15m
	6-175	Ruris Trimmer line 2.4mm {round} 15m
	6-176	Ruris Trimmer line 2.4mm {square} 15m
	6-177	Ruris Trimmer line 3.0mm {round} 15m
	6-178	Ruris Trimmer line 3.0mm {square} 15m
	6-179	Ruris Trimmer line 2.4mm {spiral} 15m
	6-180	Ruris Trimmer line 3.0mm {spiral} 15m
	6-181	Ruris Trimmer line 3.5mm {spiral} 15m
	6-182	Ruris Trimmer line 3.0mm {steel} 15m
	6-183	Ruris Trimmer line 3.5mm {round} 15m
	6-184	Ruris Trimmer line 4.0mm {round} 15m
	6-185	Ruris Trimmer line 5.0mm {spiral} 15m

ACCESSORIES



kituniv20	Universal sprayer kit
-----------	-----------------------



kituniv20	Full universal sprayer kit
-----------	----------------------------



pste250-43	Ruris Trimmer Head TE250S
------------	---------------------------



pste400-5a	Ruris Trimmer Head TE400
------------	--------------------------



pste500-20a	Ruris Trimmer Head TE500
-------------	--------------------------



kitdac100xl20

DAC 100XL lawn mower kit
{blade, air filter, spark plug,
screw kit}



kitdac110xl20

DAC 110XL lawn mower kit
{blade, belt, air filter, spark plug,
screw kit}



kitdac120xl20

DAC 120XL lawn mower kit
{mulching blade, belt, air filter,
spark plug, screw kit}



kitdac150xl20

DAC 150XL lawn mower kit
{mulching blade, belt, air filter,
spark plug, screw kit}



kitrx200s20

RURIS RX200S lawn mower kit
{mulching blade, air filter, spark
plug, screw kit}



kitrx221s20

RURIS RX221S lawn mower kit
{mulching blade, air filter, spark
plug, screw kit}



kitrx3031s20

RURIS RX300S/RX331S lawn
mower kit {mulching blade, belt,
air filter, spark plug, screw kit}



kitrx4041s20

RURIS RX400S/RX441S lawn
mower kit
{mulching doublecutting blade,
belt, belt, air filter, spark plug,
screw kit}



kitrx444s20

RURIS RX444S lawn mower kit
{mulching blade, belt, air filter,
spark plug, screw kit}



kitde40cm20

Universal lawn mower kit 40cm
diameter {blade, spark plug,
universal adaptor, pulley adap-
tor, screw kit}



kitde46cm20

Universal lawn mower kit 46cm
diameter {mulching blade, spark
plug, universal adaptor, pulley
adaptor, screw kit}

	Code	Description
	12-017	Ruris 2TT Oil 1L
	12-050	Ruris 2TT Oil 500 ml
	12-012	Ulei Ruris 2TT 125 ml
	UH32	Ruris M-Power Oil 1L
	4T060	Ruris 4T Oil 600 ml
	4T10W30	Ruris 4T Oil 1L
	gtr600	Ruris G-Tronic Oil 600 ml
	T80W90	Ruris G-Tronic Oil 1L
	hlp-22	Ruris H-Mobility 1L
	XGD-4L	Ruris X-Guard Oil 4L
	wr600gt	RURIS 4T-Winter GT 600 ml
	rurisvas18	RURIS Super Vaseline

	Code	Description
	wash20211l	Ruris Auto Wash 1L detergent
	wash20215l	Ruris Auto Wash 5L detergent
	washgd20212l	Ruris Auto Wash Gold 2L super concentrated detergent
	washgd20215l	Ruris Auto Wash Gold 5L super concentrated detergent
	home20211l	Ruris Multi-Surface Home 1L pavements and plinths detergent
	diam20211l	Ruris Auto Shine Diamond 1L wax





kit2400plus21

RURIS AirPower 2400PLUS
accessories kit



kit5000plus21

RURIS AirPower 2400PLUS
accessories kit

Chainsaws	Chain type	Order code	Bar	Order code
DAC 4015	3/8 1.3 PM 28+1t	promocs3/8-1.3-40cm	40 cm	CS241/401S-SR
DAC 456	0.325" 1.5 RS 32t	promocs325-1.5-38cm	38 cm	CS366-SRS
DAC 506	0.325" 1.5 RS 36t	promocs325-1.5-45cm promocs325-1.5-50cm	45 cm 50 cm	CS491/511/455S-SR CS505S-SR
RURIS / RM280 / RM300	3/8 1.3 PM 22+1t	promocs3/8-1.3-30cm	30 cm	CS141-SR
RURIS RM350	3/8 1.3 PM 26+1t	promocs3/8-1.3-35cm	35 cm	CS191-SR
RURIS RM420	3/8 1.3 PM 28+1t	promocs3/8-1.3-40cm	40 cm	CS241/401S-SR
RURIS RM450	0.325" 1.5 RS 33t	promocs325-1.5-40cm	40 cm	CS366-SR
RURIS RM500	0.325" 1.5 RS 36t	promocs325-1.5-45cm	45 cm	CS491/511/455S-SR
RURIS RM540	0.325" 1.5 RS 38t	promocs325-1.5-50cm	50 cm	CS505S-SR
DAC 316E	3/8 1.3 PM 26+1t	promocs3/8-1.3-35cm	35 cm	CS316e-91
DAC 322E	3/8 1.3 PM 28+1t	promocs3/8-1.3-40cm	40 cm	CS322e-91
Multibrand	3/8 1.3 PM 25t	cspm25-l		
Multibrand	3/8 1.6 RSC 30t	csrsc30-l		
DAC 456	0.325" 1.5 RS 32t	promocs325-1.5-38cm-forte	38 cm	CS366-SR
DAC 506	0.325" 1.5 RS 36t	promocs325-1.5-45cm-forte promocs325-1.5-50cm-forte	45 cm 50 cm	CS491/511/455S-SR CS505S-SR
RURIS RM450	0.325" 1.5 RS 33t	promocs325-1.5-40cm-forte	40 cm	CS366-SR
RURIS RM500	0.325" 1.5 RS 36t	promocs325-1.5-45cm-forte	45 cm	CS491/511/455S-SR
RURIS RM540	0.325" 1.5 RS 38t	promocs325-1.5-50cm-forte	50 cm	CS505S-SR

Chainsaw packages chain and bar



	Chain type	Bar	Order code
RURIS RM280 / RM300	Chain 3/8 1.3 PM 22+1t	30 cm	paccs280300
RURIS RM350	Chain 3/8 1.3 PM 26+1t	35 cm	paccs19219
RURIS RM420	Chain 3/8 1.3 PM 28+1t	40 cm	paccs24219
RURIS RM450	Chain 0.325" 1.5 RS 33t	40 cm	paccs36719
RURIS RM500	Chain 0.325" 1.5 RS 36t	45 cm	paccs49219
RURIS RM540	Chain 0.325" 1.5 RS 38t	50 cm	paccs540022

Chain roller	Order code		Chain type	Order code
3/8 1.3 PM - 820 teeth	903-100promo1		Round file 4,0	181-001
0.325" 1.5 RS - 920 teeth	945-100promo1		Round file 4,8	181-003
0.325" 1.5 RS Forte	955-100promo1		Round file 5,1	181-200
Chain sharpener AL 181	csas2018		Round file 4,8 with handle	181-004
RURIS Mountain backpack	rucsac2017		Wide file	181-005
RURIS Axe	topor2017		Chain sharpener 3/8 1.3	200-949p
			Chain sharpener 325	200-935p





30 years
with people and nature

RURIS®
power for nature



Ruris Impex S.R.L.
Boulevard Decebal, Nr. 111, Office Building
200746, Craiova, Dolj, Romania
Phone: +40 351 464 632



fb.com/ruriscraiova



instagram.com/ruriscraiova



youtube.com/rurissrl



www.ruris.ro